

INFORMATION PROCESSING METHOD AND INFORMATION PROCESSOR

BACKGROUND OF THE INVENTION

The present invention relates to information processing methods and information
5 processors.

In DSPs, for example, an instruction (e.g., an SIMD instruction) for processing multiple data sets simultaneously is often used to increase the data processing throughput. These data sets are placed in memory areas, which are called memory banks, and when an instruction is executed, necessary data sets are transferred to an arithmetic processing unit
10 via data buses. Since data buses are connected to memory banks in one-to-one relationships, multiple data sets cannot be sent to the arithmetic processing unit from a single memory bank at a time. Therefore, multiple memory banks are provided to correspond to multiple data buses, and multiple data sets to be processed simultaneously are placed in respectively different banks, which enables access to the multiple data sets
15 simultaneously. Conventionally, in order to exploit such hardware capabilities, users have needed to designate in detail where the data sets are to be located in the memory, so that the data sets to be referred to simultaneously are assigned to different memory banks.

Nevertheless, as the number of data sets rises with increasing scale of development, for users to perform bank assignment manually becomes a very complicated and laborious
20 procedure.

SUMMARY OF THE INVENTION

The present invention solves the above problem, and an object of the present invention is that so as not to allow any arithmetic operation to be performed by referring to
25 data sets that are placed in the same memory bank (which will be hereinafter referred to as

“memory bank conflict”), data sets simultaneously referred to are automatically assigned to different memory banks, so that hardware capabilities are exploited to the fullest extent, while software productivity is increased.

In accordance with an aspect of the present invention, the above-described
5 information processing method includes the steps of obtaining, among arithmetic instructions, information on data sets referred to by memory reference, and assigning to different banks a plurality of data sets simultaneously referred to by memory reference performed in accordance with an arithmetic instruction. This enables automatic bank assignment in which no memory bank conflict occurs.

10 The above-described information processing method preferably further includes the step of establishing bank assignment priority, and a step in which the assignment to the banks is performed in sequence beginning with data sets that are high in the bank assignment priority. Then, the data sets of high bank assignment priority are allowed to be assigned preferentially to the banks without causing memory bank conflict.

15 The above-described information processing method preferably further includes a step in which the bank assignment priority is established according to a loop count that indicates the number of times the arithmetic instruction is executed repeatedly. Then, data sets that are repeatedly referred to by loop instructions are permitted to be assigned preferentially to the banks without causing memory bank conflict.

20 The above-described information processing method preferably further includes a step in which the bank assignment priority is established according to data-use frequency. Then, frequently used data sets are permitted to be assigned preferentially to the banks without causing memory bank conflict.

The above-described information processing method preferably further includes the
25 step of searching for data sets referred to simultaneously with the data sets that are high in

the bank assignment priority, and a step in which the data sets referred to simultaneously are also assigned preferentially to the banks. This allows all the data sets to be assigned evenly to the banks without causing memory bank conflict.

In accordance with another aspect of the present invention, an information
5 processing method includes the steps of reading an instruction that specifies data sets to be assigned to different banks, and assigning to the different banks the data sets that are specified to be assigned to the different banks. Then, it is possible to preferentially assign the data sets specified by the user, to the different banks, irrespective of arithmetic operation.

10 The information processing method preferably includes the step of reading an instruction that specifies data sets to be assigned to different banks, and a step in which the data sets that are specified to be assigned to the different banks are assigned preferentially to the banks. Then, it is possible to preferentially assign the data sets specified by the user, to the different banks, irrespective of arithmetic operation.

15 The information processing method preferably further includes the step of establishing bank assignment priority among the data sets that are specified to be assigned to the different banks, and a step in which in the assignment of the data sets that are specified to be assigned to the different banks, data sets that are high in the bank assignment priority are preferentially assigned to the banks. Then, the data sets of high
20 bank assignment priority are allowed to be assigned preferentially to the banks without causing memory bank conflict.

In accordance with yet another aspect of the present invention, an information processing method includes the steps of reading an instruction that specifies to which bank a data set is assigned, and assigning the data set to the specified bank. Then, the data set
25 specified by the user is allowed to be assigned to the designated bank.

The information processing method preferably includes the step of reading an instruction that specifies to which bank a data set is assigned, and a step in which the data set is assigned preferentially to the specified bank. Then, the data set specified by the user is allowed to be assigned preferentially to the designated bank.

5 In accordance with yet another aspect of the present invention, in an information processor, information on a plurality of data sets simultaneously referred to by memory reference performed in accordance with an arithmetic instruction is obtained, and the data sets are assigned to different banks. This enables automatic bank assignment in which no memory bank conflict occurs.

10 In the information processor, the assignment to the banks is preferably performed in sequence beginning with data sets that are high in bank assignment priority. Then, the data sets of high bank assignment priority are allowed to be assigned preferentially to the banks without causing memory bank conflict.

15 In the information processor, a loop count that indicates the number of times the arithmetic instruction is executed repeatedly is preferably set as the bank assignment priority. Then, data sets that are repeatedly referred to by loop instructions are permitted to be assigned preferentially to the banks without causing memory bank conflict.

20 In the information processor, data-use frequency is preferably set as the bank assignment priority. Then, frequently used data sets are permitted to be assigned preferentially to the banks without causing memory bank conflict.

 In the information processor, data sets that are used simultaneously with the high-bank-assignment-priority data sets are also preferably assigned preferentially to the banks. This allows all the data sets to be assigned evenly to the banks without causing memory bank conflict.

25 In accordance with still another aspect of the present invention, in an information

processor, data sets to be assigned to different banks are specifiable. Then, it is possible to specify data sets to be assigned to different banks, irrespective of arithmetic operation.

In the information processor, the data sets that are specified to be assigned to the different banks are preferably assigned preferentially to the banks. Then, the data sets specified by the user are assigned preferentially to the different banks.

In the information processor, bank assignment priority is preferably established among the data sets that are specified to be assigned to the different banks, and the assignment to the banks is preferably performed in sequence beginning with data sets that are high in the bank assignment priority. Then, among the data sets specified to be assigned to the different banks, the high-priority data sets are allowed to be assigned preferentially to the banks so as not to cause memory bank conflict.

In accordance with yet another aspect of the present invention, in an information processor, a bank to which a data set is assigned is specifiable. This allows the user to directly specify to which bank a given data set should be assigned.

In the information processor, the data set specified to be assigned to the bank is preferably assigned preferentially to the specified bank. Then, the data set specified by the user is allowed to be assigned preferentially to the designated bank.

According to the present invention, information on a plurality of data sets that are referred to simultaneously by a memory reference instruction is obtained, and those data sets are assigned to different banks, so that automatic bank assignment in which no memory bank conflict occurs is performed, thereby achieving an information processor having high productivity.

Further, bank control instructions and bank-specifying instructions permit bank assignment to be performed as intended by the user, which resulting in the achievement of an information processor that can flexibly respond to the user's needs.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram illustrating the configuration of an information processor in accordance with a first embodiment.

5 FIG. 2 is a block diagram illustrating the configuration of a processor that executes an executable file produced by the information processor shown in FIG. 1.

FIG. 3 is a block diagram illustrating the inner configuration of a linker shown in FIG. 1.

10 FIG. 4 is a view for describing how to assign to banks data sets that are referred to by memory reference instructions.

FIG. 5 is a flow chart illustrating process steps in bank control.

FIG. 6 is a flow chart illustrating process steps in bank control.

FIG. 7 is a view for describing operation for obtaining bank control information.

FIG. 8 is a flow chart illustrating operation for obtaining bank control information.

15 FIG. 9 is a view for describing a bank control method.

FIG. 10 is a flow chart illustrating a bank control method.

FIG. 11 is a view for describing bank assignment operation.

FIG. 12 is a flow chart illustrating bank assignment operation.

FIG. 13 is a view for describing operation for obtaining bank control information.

20 FIG. 14 is a flow chart illustrating operation for obtaining bank control information.

FIG. 15 is a view for describing a bank control method.

FIG. 16 is a flow chart illustrating a bank control method.

FIG. 17 is a view for describing bank assignment operation.

FIG. 18 is a flow chart illustrating bank assignment operation.

25 FIG. 19 is a view for describing a bank control method.

FIG. 20 is a flow chart illustrating a bank control method.

FIG. 21 is a view for describing bank assignment operation.

FIG. 22 is a flow chart illustrating bank assignment operation.

FIG. 23 is a view for describing a bank control method.

5 FIG. 24 is a flow chart illustrating a bank control method.

FIG. 25 is a view for describing bank assignment operation.

FIG. 26 is a flow chart illustrating bank assignment operation.

FIG. 27 is a view for describing bank assignment operation.

FIG. 28 is a flow chart illustrating process steps in bank control.

10 FIG. 29 is a view for describing operation for obtaining bank control instruction information.

FIG. 30 is a flow chart illustrating operation for obtaining bank control instruction information.

FIG. 31 is a view for describing a bank control method.

15 FIG. 32 is a flow chart illustrating a bank control method.

FIG. 33 is a view for describing bank assignment operation.

FIG. 34 is a flow chart illustrating bank assignment operation.

FIG. 35 is a view for describing operation for obtaining bank control instruction information.

20 FIG. 36 is a flow chart illustrating operation for obtaining bank control instruction information.

FIG. 37 is a view for describing a bank control method.

FIG. 38 is a flow chart illustrating a bank control method.

FIG. 39 is a view for describing bank assignment operation.

25 FIG. 40 is a flow chart illustrating bank assignment operation.

FIG. 1 illustrates the configuration of an information processor in accordance with a first embodiment. The information processor creates an executable file **f31** from C/C++ source files **f1** and **f2** and an assembly source file **f13**. The C/C++ source files **f1** and **f2** are input files created by a user using C/C++ language. The assembly source file **f13** is an input file generated by the user using assembly language.

The executable file **f31** produced by the information processor is executed on a processor (target computer) shown in FIG. 2. The processor shown in FIG. 2 includes a data memory **11**, data buses **DB1** and **DB2**, an arithmetic processing unit **12**, and an instruction memory **13**. The data memory **11** is an area where data sets which are referred to by arithmetic instructions are placed. The data memory **11** includes memory banks **MB1** and **MB2**. The data bus **DB1** is a line which connects the memory bank **MB1** and the arithmetic processing unit **12**, whereas the data bus **DB2** is a line via which the memory bank **MB2** is connected to the arithmetic processing unit **12**. Data placed in the memory bank **MB1** is transferred to the arithmetic processing unit **12** through the data bus **DB1**. However, the data bus **DB1**, which is not capable of transferring multiple sets of data at a time, cannot simultaneously transfer multiple data sets placed in the memory bank **MB1**. Thus, transfer of a given data set has to be completed before an ensuing data set can be transferred. The same is true for data placed in the memory bank **MB2**. The arithmetic processing unit **12** refers to data placed in the data memory **11** and actually performs arithmetic operations. The instruction memory **13** is an area in which arithmetic instructions carried out by the arithmetic processing unit **12** are stored.

Referring again to FIG. 1, the information processor includes a compiler **1**, an assembler **2** and a linker **3**. The compiler **1** converts the C/C++ source files **f1** and **f2** into assembly source files **f11** and **f12**. The assembler **2** converts the assembly source files **f11** through **f13** into object files **f21** through **f23**. The assembler **2** outputs bank control

information as well as the object files **f21** through **f23**. The linker **3** combines the object files **f21** through **f23** to generate the executable file **f31**. The linker **3** also performs bank control in accordance with the bank control information.

<Inner configuration of linker **3**>

5 FIG. **3** illustrates the inner configuration of the linker **3** shown in FIG. **1**. The linker **3** includes an input portion **4**, a combining portion **5**, a bank controller **6**, a placement portion **7**, and an output portion **8**. The object files **f21** through **f23** are inputted into the input portion **4**. Depending on the situation, a location-specifying instruction is also inputted. The location-specifying instruction, which is user-definable, specifies where
10 data sets used in the object files **f21** through **f23** are to be placed when the data sets are placed in the memory. In the combining portion **5**, the inputted object files **f21** through **f23** are combined into a single executable film. The bank controller **6** performs, according to the bank control information, bank control for the data sets used in the object files **f21** through **f23**. The placement portion **7** places the data sets used in the object files **f21**
15 through **f23**, in banks designated by the bank control. The output portion **8** outputs the executable file **f31** created through the operations performed by the input portion **4** through the placement portion **7**.

<Data assignment to memory banks>

Hereinafter, referring to FIG. **4**, it will be described how to perform bank control, in
20 which data sets, referred to by memory reference instructions of the arithmetic instructions executed on the processor of FIG. **2**, are assigned to banks.

The reference mark **e1** indicates an example of an input file in which memory reference instructions are written. Now, assembler instructions **e1-1** through **e1-14** written in the input file **e1** will be discussed.

25 The assembler instruction **e1-1** is an instruction that the address of a memory in

which data **L1** is stored be assigned to a register **P0**. The assembler instruction **e1-2** is an instruction that the address of a memory in which data **L2** is stored be assigned to a register **P4**.

The assembler instruction **e1-3** is a loop instruction designating the repetition 10
5 times of the assembler instruction **e1-4**, which is the instruction next executed after the assembler instruction **e1-3**.

The assembler instruction **e1-4** is an instruction to perform a memory reference
(which will be hereinafter referred to as a memory reference instruction). The assembler
instruction **e1-4** indicates that the data stored in the memory specified by the memory
10 address that has been assigned to the register **P4** is to be stored in the memory specified by
the memory address that has been assigned to the register **P0**. The character “M” shown in
the instruction **e1-4** means that a memory reference will be performed. Since the data **L1**
stored in the memory indicated by the memory address assigned to the register **P0** and the
data **L2** stored in the memory indicated by the memory address assigned to the register **P4**
15 are referred to simultaneously, the data **L1** and the data **L2** need to be assigned to different
memory banks.

The assembler instruction **e1-5** is an instruction that the address of a memory in
which data **L3** is stored be assigned to the register **P0**.

The assembler instruction **e1-6** is a memory reference instruction, which indicates
20 that the data stored in the memory specified by the memory address that has been assigned
to the register **P4** is to be stored in the memory specified by the memory address that has
been assigned to the register **P0**. Since the data **L3** stored in the memory indicated by the
memory address assigned to the register **P0** and the data **L2** stored in the memory indicated
by the memory address assigned to the register **P4** are referred to simultaneously, the data
25 **L3** and the data **L2** have to be assigned to different memory banks.

The assembler instruction **e1-7** is an instruction that the address of a memory in which data **L4** is stored be assigned to the register **P4**.

The assembler instruction **e1-8** is a memory reference instruction, which indicates that the data stored in the memory specified by the memory address assigned to the register **P0** is to be stored in the memory specified by the memory address assigned to the register **P4**. Since the data **L3** stored in the memory indicated by the memory address assigned to the register **P0** and the data **L4** stored in the memory indicated by the memory address assigned to the register **P4** are referred to simultaneously, the data **L3** and the data **L4** have to be assigned to different memory banks.

The assembler instruction **e1-9** is an instruction that the address of the memory in which the data **L1** is stored be assigned to the register **P4**.

The assembler instruction **e1-10** is a memory reference instruction to assign to a register **R0** the result of multiplying the data stored in the memory indicated by the memory address assigned to the register **P0** by the data stored in the memory indicated by the memory address assigned to the register **P4**. Since the data **L3** stored in the memory indicated by the memory address assigned to the register **P0** and the data **L1** stored in the memory indicated by the memory address assigned to the register **P4** are referred to simultaneously, the data **L3** and the data **L1** have to be assigned to different memory banks.

The assembler instruction **e1-11** is an instruction that the address of a memory in which data **L5** is stored be assigned to the register **P0**. The assembler instruction **e1-12** is an instruction that the address of a memory in which data **L6** is stored be assigned to the register **P4**. The assembler instruction **e1-13** is a loop instruction designating the repetition 20 times of the assembler instruction **e1-14**, which is the instruction next executed after the assembler instruction **e1-13**.

The assembler instruction **e1-14** is a memory reference instruction, which indicates

that the data stored in the memory specified by the memory address assigned to the register **P4** is to be stored in the memory specified by the memory address assigned to the register **P0**. Since the data **L5** stored in the memory indicated by the memory address assigned to the register **P0** and the data **L6** stored in the memory indicated by the memory address
5 assigned to the register **P4** are referred to simultaneously, the data **L5** and the data **L6** have to be assigned to different memory banks.

In this manner, the data **L1** through the data **L6**, which are referred to in the input file **e1**, have been assigned to the memory banks **MB1** and **MB2**, and the results are indicated by the reference marks **e2** and **e3**. The reference mark **e2** indicates a group of the
10 addresses of the memories in which, among the data sets referred to in the input file **e1**, the data sets that have been assigned to the memory bank **MB1** are stored, whereas the reference mark **e3** indicates a group of the addresses of the memories in which, among the data sets referred to in the input file **e1**, the data sets that have been assigned to the memory bank **MB2** are stored.

15 Next, it will be described how to perform bank assignments (bank control) such as shown in FIG. 4. In this embodiment, bank-assignment priority levels among all data sets are all equal in the processor shown in FIG. 2.

FIGS. 5 and 6 are flow charts illustrating how bank control process steps are performed. In this embodiment, either of the methods of FIGS. 5 and 6 may be used.

20 FIG. 5 shows a flow of process steps in bank control, in which bank assignment which causes no memory bank conflict is automatically performed, while information needed by a memory reference instruction performed by the arithmetic processing unit 12 is read.

In Step **ST100**, a memory reference instruction performed by the arithmetic
25 processing unit 12 is read. In Step **ST101**, necessary information for the bank control is

obtained for the memory reference instruction that has been read in Step **ST100**. In Step **ST102**, the bank control is performed. In Step **ST103**, a determination is made as to whether all bank assignment has been completed for all memory reference instructions performed by the arithmetic processing unit **12**. If it has been determined in Step **ST103** that all the bank assignment has been completed, the process is ended. If it has been determined in Step **ST103** that all the bank assignment has not been completed, the process returns to Step **ST100** to repeat the operations of Step **ST100** through Step **ST103**.

FIG. 6 shows a flow of process steps in bank control, in which bank assignment which causes no memory bank conflict is automatically performed, after all information needed by all memory reference instructions performed by the arithmetic processing unit **12** has been read.

In Step **ST200**, a memory reference instruction performed by the arithmetic processing unit **12** is read. In Step **ST201**, necessary information for the bank control is obtained for the memory reference instruction that has been read in Step **ST200**. In Step **ST202**, a determination is made as to whether all information necessary for bank control has been obtained for all memory reference instructions performed by the arithmetic processing unit **12**. In the case where it has been determined in Step **ST202** that all the necessary information has been obtained, the bank control is performed in Step **ST203**. If it has not been determined in Step **ST202** that all the necessary information has been obtained, the process returns to Step **ST200** to repeat the operations of Step **ST200** through Step **ST202**.

Now, referring to FIG. 47A, the above-mentioned necessary information for bank control (which will be hereinafter referred to as "bank control information") will be described. A bank control information set shown in FIG. 47A is generated each time a memory reference instruction is read. The bank control information set includes

information on the addresses of memories in which data sets to be referred to are stored, and address information that indicates a location in which an ensuing bank control information set is to be stored. By holding the address information that indicates the ensuing-bank-control-information-set storage location, all of the bank control information sets are connected in a list structure. The address information that indicates the ensuing-bank-control-information-set storage location is registered at the time that the ensuing bank control information set has been created.

Next, operation for obtaining the bank control information set shown in FIG. 47A will be discussed with reference to FIG. 7.

10 The reference mark **e1** indicates an example of an input program in which memory reference instructions are written. The reference mark **e5** indicates a bank control information set obtained in accordance with a memory reference instruction **e1-4**. By the memory reference instruction **e1-4**, since data **L1** and data **L2** are referred to simultaneously, the address **_L1** of a memory in which the data **L1** is stored and the
15 address **_L2** of a memory in which the data **L2** is stored are registered in memory address information in the bank control information set **e5**.

The reference mark **e6** indicates a bank control information set obtained according to a memory reference instruction **e1-6**. By the memory reference instruction **e1-6**, since data **L3** and the data **L2** are referred to simultaneously, the address **_L3** of a memory in
20 which the data **L3** is stored and the address **_L2** of the memory in which the data **L2** is stored are registered in memory address information in the bank control information set **e6**. The bank control information set **e6** is connected to the bank control information set **e5**.

The reference mark **e7** indicates a bank control information set obtained according to a memory reference instruction **e1-8**. By the memory reference instruction **e1-8**, since
25 data **L4** and the data **L3** are referred to simultaneously, the address **_L4** of a memory in

which the data **L4** is stored and the address **_L3** of the memory in which the data **L3** is stored are registered in memory address information in the bank control information set **e7**. The bank control information set **e7** is connected to the bank control information set **e6**.

The reference mark **e8** indicates a bank control information set obtained according to a memory reference instruction **e1-10**. By the memory reference instruction **e1-10**, since the data **L3** and the data **L1** are referred to simultaneously, the address **_L3** of the memory in which the data **L3** is stored and the address **_L1** of the memory in which the data **L1** is stored are registered in memory address information in the bank control information set **e8**. The bank control information set **e8** is connected to the bank control information set **e7**.

The reference mark **e9** indicates a bank control information set obtained according to a memory reference instruction **e1-14**. By the memory reference instruction **e1-14**, since data **L5** and data **L6** are referred to simultaneously, the address **_L5** of a memory in which the data **L5** is stored and the address **_L6** of a memory in which the data **L6** is stored are registered in memory address information in the bank control information set **e9**. The bank control information set **e9** is connected to the bank control information set **e8**.

The above operations produce a bank control information list **e10** which includes the bank control information sets **e5** through **e9**.

Subsequently, the operation for obtaining the bank control information sets shown in FIG. 7 will be described more specifically with reference to FIG. 8. FIG. 8 is a flow chart illustrating the operation for obtaining the bank control information set shown in FIG. 47A. The flow chart corresponds to the operation of Step **ST101** in FIG. 5 and the operation of Step **ST201** in FIG. 6.

Step **ST300** is to obtain information on the addresses of memories in which data sets to be referred to by a memory reference operation performed by the arithmetic

processing unit 12 are stored. In Step ST301, the memory address information set obtained in Step ST300 is registered in the corresponding bank control information set, and the bank control information set is connected to the bank control information list.

Next, a bank control method in which all bank-assignment priority levels are equal
5 will be described with reference to FIG. 9.

The reference mark e10 indicates a bank control information list. The reference marks e5 through e9 denote bank control information sets included in the bank control information list e10. The reference marks e17 through e20 indicate bank assignment group information sets created from the bank control information sets e5 through e9. Now, the
10 bank assignment group information sets produced in the first embodiment will be described with reference to FIG. 48A. In the first embodiment, bank assignment group information shown in FIG. 48A is generated.

Each bank assignment group information set illustrated in FIG. 48A includes:
information obtained as a result of the grouping of memory addresses performed based on
15 the bank control information in such a manner that the addresses of memories in which data sets to be assigned to the same bank are stored are grouped into the same group, while the addresses of memories in which data sets to be assigned to different banks are stored are grouped into different groups; and address information that indicates where the ensuing bank assignment group information set is to be stored. In this embodiment, the number of
20 groups is equal to the number of banks. By holding the address information that indicates the ensuing-bank-assignment-group-information-set storage location, all of the bank assignment group information sets are connected in a list structure. The address information indicating the ensuing-bank-assignment-group-information-set storage location, is registered at the time when the ensuing bank assignment group information set
25 has been created.

Therefore, the bank assignment group information set **e17** generated from the bank control information set **e5** indicates the results of grouping memories in which data **L1** and data **L2** are stored, into different groups so that memory addresses **_L1** and **_L2** registered in memory address information in the bank control information set **e5** are grouped into Gr (group)1 and Gr2, respectively.

Further, the bank assignment group information set **e18** generated based on the bank control information set **e6** indicates the results of grouping memory addresses **_L3** and **_L2** that are registered in memory address information in the bank control information set **e6**. In this grouping process, since the memory address **_L2** has already been grouped by the bank assignment group information set **e17** into the group **Gr2**, the memory address **_L3** is grouped into Gr1, which is a different group from that of the memory address **_L2**. The bank assignment group information set **e18** is connected to the bank assignment group information set **e17**.

Likewise, the bank assignment group information set **e19** produced based on the bank control information set **e7** indicates the results of grouping the memory addresses **_L3** and **_L4** into the groups **Gr1** and **Gr2**, respectively. The bank assignment group information set **e20** created based on the bank control information set **e9** indicates the results of grouping memory addresses **_L5** and **_L6** into the groups **Gr1** and **Gr2**, respectively.

The memory addresses **_L1** and **_L3** are registered in memory address information in the bank control information set **e8**. However, at the time that the bank control information set **e8** is read, the memory addresses **_L1** and **_L3** have both already been registered in the bank assignment group information sets, thus eliminating the need for creating a new bank assignment group information set.

The above operations produce a bank assignment group information list **e21** which

includes the bank assignment group information sets **e17** through **e20**. The banks are assigned in sequence beginning with the data sets indicated by the memory addresses registered in the bank assignment group information set **e17** at the head of the bank assignment group information list **e21**.

5 Next, the bank control method shown in FIG. 9 will be described more specifically with reference to FIG. 10.

FIG. 10 is a flow chart illustrating the bank control method in which bank-assignment priority levels are equal among all of the data sets. The flow chart corresponds to the operation of Step **ST102** in FIG. 5 and the operation of Step **ST203** in FIG. 6.

10 In Step **ST400**, the head of the bank control information list is read.

In Step **ST401**, a determination is made as to whether the memory addresses indicated by memory address information within the read bank control information set include any memory address which has not yet been registered in the bank assignment group information list.

15 If it has been determined in Step **ST401** that there is a memory address that has not yet been registered in the bank assignment group information list, then in Step **ST402** the unregistered memory address is registered in the bank assignment group information list as a group that is different from a group in which the other memory address that the memory address information within the same bank control information set indicates has already
20 been registered.

In Step **ST403**, the read bank control information set is removed from the bank control information list.

In Step **ST404**, it is determined whether the bank control information list includes any bank control information set that has not been processed. If it has been determined in
25 Step **ST404** that the bank control information list still includes a bank control information

set that has not yet been processed, the process returns to Step **ST400** to repeat the operations of Steps **ST400** through **ST404**. If it has been determined in Step **ST404** that there is no bank control information set that has not been processed in the bank control information list, then bank assignment is performed in Step **ST405**.

5 Next, bank assignment operation which corresponds to the operation of Step **ST405** in FIG. **10** will be discussed with reference to FIG. **11**. FIG. **11** illustrates an exemplary bank assignment operation in which all bank-assignment priority levels among all data sets are equal.

10 The reference mark **e21** denotes a bank assignment group information list. The reference marks **e17** through **e20** indicate bank assignment group information sets included in the bank assignment group information list **e21**.

15 The reference marks **e27** and **e28** indicate memory banks in which data sets are stored, and show the result of assigning the data sets to the banks in sequence beginning with the data sets stored in the areas indicated by the memory addresses registered in the bank assignment group information set **e17** at the head of the bank assignment group information list **e21**. In FIG. **11**, data **L1**, data **L3** and data **L5** are assigned to the memory bank **MB1**, while data **L2**, data **L4** and data **L6** are assigned to the memory bank **MB2**. Alternatively, the data **L2**, data **L4** and data **L6** may be assigned to the memory bank **MB1**, whereas the data **L1**, data **L3** and data **L5** may be assigned to the memory bank **MB2**.

20 Subsequently, referring to FIG. **12**, the bank assignment operation shown in FIG. **11** will be described more specifically. FIG. **12** is a flow chart illustrating the bank assignment operation in which all bank-assignment priority levels among all of the data sets are equal. The flow chart corresponds to the operation of Step **ST405** in FIG. **10**.

In Step **ST500**, the bank assignment group information list is read from the head.

25 In Step **ST501**, a determination is made as to whether a group of data sets that

memory addresses grouped into one of the groups indicate can be assigned independently to a bank without being assigned to the other bank, i.e., the bank to which a group of data sets that memory addresses grouped into the other group indicate is assigned, wherein the memory addresses are grouped in the read bank assignment group information sets.

5 If it has been determined in Step **ST501** that such independent assignment to the banks is possible, then in Step **ST502** the groups of the data sets indicated by the grouped memory addresses are each independently assigned to their respective banks. In each of the read bank assignment group information sets, if the data sets indicated by the grouped memory addresses include a data set which has already been assigned to a bank, the other
10 data set which has not yet been assigned to a bank is assigned to the other bank which is different from the bank of the already assigned data set. If the data sets are assigned in Step **ST502**, no memory bank conflict occurs.

 If it has not been determined in Step **ST501** that such independent assignment to the banks is possible, then in Step **ST503** a determination is made as to whether it is
15 possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

 If it has been determined in Step **ST503** that it is possible, then in Step **ST504** a part of the data sets indicated by the memory addresses grouped into the one group is
20 assigned to the same bank to which the data sets indicated by the memory addresses grouped into the other group are assigned. When the data sets are assigned in Step **ST504**, memory bank conflict occurs partially.

 If it has not been determined in Step **ST503** that it is possible, then in Step **ST505** a determination is made as to whether it is possible to assign all of the data sets to the banks
25 by assigning the data sets that the memory addresses grouped into the one group indicate,

to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

If it has been determined in Step **ST505** that it is possible, then in Step **ST506** the data sets indicated by the memory addresses grouped into the one group are assigned to the same bank to which the data sets indicated by the memory addresses grouped into the other group are assigned. When the data sets are assignment in Step **ST506**, memory bank conflict occurs.

If it has not been determined in Step **ST505** that it is possible, then in Step **ST507** error handling is performed.

10 In Step **ST508**, it is determined whether there exists an ensuing information set in the bank assignment group information list. If it has been determined in Step **ST508** that the ensuing information exists, the process returns to Step **ST500** to repeat the operations of Step **ST500** through Step **ST508**.

As described above, in the first embodiment, it is possible to assign data sets that are referred to by memory reference instructions, to banks automatically in decreasing order of usage without causing memory bank conflict.

(Second embodiment)

In the first embodiment, bank assignment is performed with the assumption that bank-assignment priority levels among all data sets are equal. In a second embodiment, bank-assignment priority levels are established according to the loop count, and assigning of data sets to banks is performed beginning with data sets with a high bank-assignment priority level. In the second embodiment, bank control process steps are performed as shown in the flow chart of FIG. 6.

25 Hereinafter, bank control information obtained in the second embodiment will be

discussed with reference to FIG. 47B. A bank control information set shown in FIG. 47B is generated each time a memory reference instruction is read. The bank control information set includes information on the addresses of memories in which data sets are stored, information on bank control priority, and address information that indicates a location in which an ensuing bank control information set is to be stored. In this embodiment, bank control priority established in a bank control information set is equal to the loop count indicating how many times the instruction is executed. By holding the address information that indicates the ensuing-bank-control-information-set storage location, all of the bank control information sets are connected in a list structure. The address information that indicates the ensuing-bank-control-information-set storage location is registered at the time that the ensuing bank control information set has been created.

Next, operation for obtaining the bank control information set shown in FIG. 47B will be discussed with reference to FIG. 13.

The reference mark **e1** indicates an example of an input program in which memory reference instructions are written.

The reference mark **e30** indicates a bank control information set obtained according to a memory reference instruction **e1-4**. By the memory reference instruction **e1-4**, since data **L1** and data **L2** are referred to simultaneously, the address **_L1** of a memory in which the data **L1** is stored and the address **_L2** of a memory in which the data **L2** is stored are registered in memory address information in the bank control information set **e30**. Since the loop count for the memory reference instruction **e1-4** is "10", which is determined by a loop instruction **e1-3**, the bank control priority level for the bank control information set **e30** is registered as "10".

The reference mark **e31** indicates a bank control information set obtained according

to a memory reference instruction **e1-6**. By the memory reference instruction **e1-6**, since data **L3** and the data **L2** are referred to simultaneously, the address **_L3** of a memory in which the data **L3** is stored and the address **_L2** of the memory in which the data **L2** is stored are registered in memory address information in the bank control information set **e31**. Since the memory reference instruction **e1-6** is executed one time, the bank control priority level for the bank control information set **e31** is registered as “1”. The bank control information set **e31** is connected to the bank control information set **e30**.

The reference mark **e32** indicates a bank control information set obtained according to a memory reference instruction **e1-8**. By the memory reference instruction **e1-8**, since data **L4** and the data **L3** are referred to simultaneously, the address **_L4** of a memory in which the data **L4** is stored and the address **_L3** of the memory in which the data **L3** is stored are registered in memory address information in the bank control information set **e32**. Since the memory reference instruction **e1-8** is executed one time, the bank control priority level for the bank control information set **e32** is registered as “1”. The bank control information set **e32** is connected to the bank control information set **e31**.

The reference mark **e33** indicates a bank control information set obtained according to a memory reference instruction **e1-10**. By the memory reference instruction **e1-10**, since the data **L3** and the data **L1** are referred to simultaneously, the address **_L3** of the memory in which the data **L3** is stored and the address **_L1** of the memory in which the data **L1** is stored are registered in memory address information in the bank control information set **e33**. Since the memory reference instruction **e1-10** is executed one time, the control priority level for the bank control information set **e33** is registered as “1”. The bank control information set **e33** is connected to the bank control information set **e32**.

The reference mark **e34** indicates a bank control information set obtained according to a memory reference instruction **e1-14**. By the memory reference instruction **e1-14**,

since data **L5** and data **L6** are referred to simultaneously, the address **_L5** of a memory in which the data **L5** is stored and the address **_L6** of a memory in which the data **L6** is stored are registered in memory address information in the bank control information set **e34**. Since the loop count for the memory reference instruction **e1-14** is "20", which is
5 determined by a loop instruction **e1-13**, the bank control priority level for the bank control information set **e34** is registered as "20". The bank control information set **e34** is connected to the bank control information set **e33**.

The above operations produce a bank control information list **e35** that includes the bank control information sets **e30** through **e34**.

10 Subsequently, the operation for obtaining the bank control information sets, schematically shown in FIG. 13, will be described more specifically with reference to FIG. 14. FIG. 14 is a flow chart illustrating the operation for obtaining the bank control information set shown in FIG. 47B. The flow chart corresponds to the operation of Step **ST201** in FIG. 6.

15 Step **ST600** is to obtain information on the addresses of memories in which data sets to be referred to by a memory reference instruction performed by the arithmetic processing unit **12** are stored.

In Step **ST601**, a loop count that indicates the number of times the memory reference instruction is executed is set as the bank control priority level.

20 In Step **ST602**, the memory address information set obtained in Step **ST600** and the bank control priority level obtained in Step **ST601** are registered in the corresponding bank control information set, and connected to the bank control information list.

Next, referring to FIG. 15, a bank control method of the second embodiment, in which bank-assignment priority levels are established according to the loop counts, and
25 assigning of data sets to banks is performed beginning with data sets having a high bank-

assignment priority level, will be described.

The reference mark **e35** indicates a bank control information list.

The reference mark **e37** represents a list obtained by rearranging the bank control information list **e35** in order of decreasing bank control priority. The reference marks **e38**
5 through **e42** denote bank control information sets included in the bank control information list **e37**.

The reference marks **e43** through **e46** indicate bank assignment group information sets created from the bank control information sets **e38** through **e42**.

Now, bank assignment group information sets produced in the second embodiment
10 will be described with reference to FIG. **48B**.

In the second embodiment, bank assignment group information shown in FIG. **48B** is generated. Each bank assignment group information set illustrated in FIG. **48B** includes: information obtained as a result of the grouping of memory addresses performed based on the bank control information in such a manner that the addresses of memories in which
15 data sets to be assigned to the same bank are stored are grouped into the same group, while the addresses of memories in which data sets to be assigned to different banks are stored are grouped into different groups; information on bank assignment priority; and address information that indicates where the ensuing bank assignment group information set is to be stored. In this embodiment, the number of groups is equal to the number of banks. By
20 holding the address information that indicates the ensuing-bank-assignment-group-information-set storage location, all of the bank assignment group information sets are connected in a list structure. The address information that indicates the ensuing-bank-assignment-group-information-set storage location is registered at the time when the ensuing bank assignment group information set has been created.

25 Therefore, the bank assignment group information set **e43** generated from the bank

control information set **e38** indicates the results of grouping memories in which data **L5** and data **L6** are stored, into different groups so that memory addresses **_L5** and **_L6** registered in memory address information in the bank control information set **e38** are grouped into **Gr1** and **Gr2**, respectively. Further, a value registered as the bank control priority level for the bank control information set **e38** is registered as the bank assignment priority level.

The bank assignment group information set **e44** generated from the bank control information set **e39** indicates the results of grouping memories in which data **L1** and data **L2** are stored, into different groups so that memory addresses **_L1** and **_L2** registered in memory address information in the bank control information set **e39** are grouped into **Gr1** and **Gr2**, respectively. Further, a value registered as the bank control priority level for the bank control information set **e39** is registered as the bank assignment priority level. The bank assignment group information set **e44** is connected to the bank assignment group information set **e43**.

The bank assignment group information set **e45** generated from the bank control information set **e40** indicates the results of grouping memory addresses **_L3** and **_L2** that are registered in memory address information in the bank control information set **e40**. Since the memory address **_L2** has already been grouped by the bank assignment group information set **e44** into the group **Gr2**, the memory address **_L3** is grouped into **Gr1**, which is a different group from that of the memory address **_L2**. Further, a value registered as the bank control priority level for the bank control information set **e40** is registered as the bank assignment priority level. The bank assignment group information set **e45** is connected to the bank assignment group information set **e44**.

Likewise, the bank assignment group information set **e46** produced from the bank control information set **e41** indicates the results of grouping the memory addresses **_L3**

and **_L4** into the groups **Gr1** and **Gr2**, respectively. The bank control priority level for the bank control information set **e41** is registered as the bank assignment priority level.

The memory addresses **_L3** and **_L1** are registered in memory address information in the bank control information set **e42**. However, at the time that the bank control information set **e42** is read, both the memory addresses **_L3** and **_L1** have already been
5 registered in the bank assignment group information sets, thus eliminating the need for creating a new bank assignment group information set.

The above operations produce a bank assignment group information list **e47** that includes the bank assignment group information sets **e43** through **e46**. The banks are
10 assigned in sequence beginning with the data sets indicated by the memory addresses registered in the bank assignment group information set **e43** having a high bank assignment priority level.

Next, referring to FIG. 16, the bank control method shown in FIG. 15 will be described more specifically. FIG. 16 is a flow chart illustrating the bank control method in
15 which bank-assignment priority levels are set according to the loop counts, and assigning of the data sets to the banks is performed beginning with data sets having a high bank-assignment priority level. The flow chart corresponds to the operation of Step **ST102** in FIG. 5.

In Step **ST700**, the bank control information sets in the bank control information
20 list are rearranged in order of decreasing bank-control priority.

In Step **ST701**, the head of the bank control information list is read.

In Step **ST702**, a determination is made as to whether the memory addresses indicated by memory address information within the read bank control information set include any memory address which has not yet been registered in the bank assignment
25 group information list.

If it has been determined in Step **ST702** that there is such a memory address that has not been registered, then in Step **ST703** the unregistered memory address is registered in the bank assignment group information list as a group that is different from a group in which the other memory address that the memory address information within the same
5 bank control information set indicates, has already been registered.

In Step **ST704**, the read bank control information set is removed from the bank control information list.

In Step **ST705**, it is determined whether, in the bank control information list, there still remains any bank control information set that has not yet been processed.

10 If it has been determined in Step **ST705** that such a bank control information set remains, the process returns to Step **ST701** to repeat the operations of Step **ST701** through Step **ST705**.

If it has been determined in Step **ST705** that no such unprocessed bank control information set remains, bank assignment is performed in Step **ST706**.

15 Next, bank assignment operation which corresponds to the operation of Step **ST706** in FIG. 16 will be discussed with reference to FIG. 17. FIG. 17 illustrates an exemplary bank assignment operation in which bank assignment priority levels are set according to the loop counts, and assigning of data sets to banks is performed beginning with data sets having a high bank-assignment priority level.

20 The reference mark **e47** denotes a bank assignment group information list. The reference marks **e43** through **e46** indicate bank assignment group information sets included in the bank assignment group information list **e47**.

The reference marks **e53** and **e54** indicate memory banks in which data sets are stored, and show the results of assigning of the data sets to the banks in sequence
25 beginning with the data sets indicated by the memory addresses registered in the bank

assignment group information set **e43** at the head of the bank assignment group information list. In FIG. 17, data **L5**, data **L1** and data **L3** are assigned to the memory bank **MB1**, while data **L6**, data **L2** and data **L4** are assigned to the memory bank **MB2**. Alternatively, the data **L6**, data **L2** and data **L4** may be assigned to the memory bank **MB1**,
5 whereas the data **L5**, data **L1** and data **L3** may be assigned to the memory bank **MB2**.

Subsequently, referring to FIG. 18, the bank assignment operation shown in FIG. 17 will be described more specifically. FIG. 18 is a flow chart illustrating the bank assignment operation in which bank-assignment priority levels are set according to the loop counts, and assigning of the data sets to the banks is performed beginning with data
10 sets having a high bank-assignment priority level. The flow chart corresponds to the operation of Step **ST706** in FIG. 16.

In Step **ST800**, the bank assignment group information list is read from the head.

In Step **ST801**, a determination is made as to whether a group of data sets that memory addresses grouped into one of the groups indicate can be assigned independently
15 to a bank without being assigned to the other bank, i.e., the bank to which a group of data sets that memory addresses grouped into the other group indicate is assigned, wherein the memory addresses are grouped in the read bank assignment group information sets.

If it has been determined in Step **ST801** that such independent assignment is possible, then in Step **ST802** the groups of the data sets indicated by the grouped memory
20 addresses are each independently assigned to their respective banks. In each of the read bank assignment group information sets, if the data sets that the grouped memory addresses indicate include a data set that has already been assigned to a bank, the other data set that has not yet been assigned to a bank is assigned to the other bank which is different from the bank of the already assigned data set. If the data sets are assigned in
25 Step **ST802**, no memory bank conflict occurs.

If it has not been determined in Step **ST801** that such independent assignment to the banks is possible, then in Step **ST803** a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

If it has been determined in Step **ST803** that it is possible, then in Step **ST804** a part of the data sets indicated by the memory addresses grouped into the one group is assigned to the same bank to which the data sets indicated by the memory addresses grouped into the other group are assigned. When the data sets are assigned in Step **ST804**, memory bank conflict occurs partially.

If it has not been determined in Step **ST803** that it is possible, then in Step **ST805** a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

If it has been determined in Step **ST805** that it is possible, then in Step **ST806** the data sets indicated by the memory addresses grouped into the one group are assigned to the same bank to which the data sets indicated by the memory addresses grouped into the other group are assigned. When the data sets are assigned in Step **ST806**, memory bank conflict occurs.

If it has not been determined in Step **ST805** that it is possible, then in Step **ST807** error handling is performed.

In Step **ST808**, it is determined whether there exists an ensuing information set in the bank assignment group information list. If it has been determined in Step **ST808** that the ensuing information exists, the process returns to Step **ST800** to repeat the operations of

Step **ST800** through Step **ST808**.

As described above, in the second embodiment, automatic assignment, to banks, of data sets that are repeatedly used by loop instructions, wherein the greater the loop count of the data set is, the greater the priority with which the data set is assigned, so as not to lead
5 to a memory bank conflict, is possible.

(Third embodiment)

In a third embodiment, bank assignment priority levels are established according to data-use frequency, in which case data having a high bank-assignment priority level and
10 data used simultaneously with such data having a high bank-assignment priority level are assigned preferentially to banks. In the third embodiment, bank control process steps are performed as shown in the flow chart of FIG. 6. Further, bank control information obtained in the third embodiment is the same as the bank control information shown in FIG. **47B**, and the method shown in FIG. **13** is used to obtain the bank control information
15 shown in FIG. **47B**.

Next, referring to FIG. **19**, a bank control method in accordance with the third embodiment will be described. In the bank control method, bank assignment priority levels are established according to data-use frequency, in which case data having a high bank-assignment priority level and data used simultaneously with such data having a high
20 bank-assignment priority level are assigned preferentially to banks.

The reference mark **e35** indicates a bank control information list. The reference mark **e37** represents a list obtained by sorting the bank control information list **e35** in order of decreasing bank-control priority. The reference marks **e38** through **e42** denote bank control information sets included in the bank control information list **e37**.

25 The reference mark **e62** indicates a bank assignment group information set created

from the bank control information set **e38**. The reference marks **e63** through **e66** indicate how bank assignment group information sets produced from the bank control information sets **e39** through **e42** are completed.

Now, bank assignment group information sets created in the third embodiment will be described with reference to FIG. **48C**. In the third embodiment, bank assignment group information shown in FIG. **48C** is generated. Each bank assignment group information set illustrated in FIG. **48C** includes: information obtained as a result of the grouping of memory addresses performed based on the bank control information in such a manner that the addresses of memories in which data sets to be assigned to the same bank are stored are grouped into the same group, while the addresses of memories in which data sets to be assigned to different banks are stored are grouped into different groups; information on overall bank-assignment priority; and address information that indicates where the ensuing bank assignment group information set is to be stored. In this embodiment, the number of groups is equal to the number of banks. To obtain an overall bank-assignment priority level, each time a bank control information set is processed, a bank control priority level registered in the bank control information set is added. Therefore, bank assignment group information sets in which frequently used data sets are registered are allowed to have a higher overall bank-assignment priority level. Further, by holding the address information that indicates the ensuing-bank-assignment-group-information-set storage location, all of the bank assignment group information sets are connected in a list structure. The address information that indicates the ensuing-bank-assignment-group-information-set storage location is registered at the time when the ensuing bank assignment group information set has been created.

Therefore, the bank assignment group information set **e62** generated from the bank control information set **e38** indicates the results of grouping of memories in which data

and data **L6** are stored, into different groups so that memory addresses **_L5** and **_L6** registered in memory address information in the bank control information set **e38** are grouped into Gr1 and Gr2, respectively. Further, a value registered as the bank control priority level for the bank control information set **e38** is registered as the overall bank-
5 assignment priority level.

The bank assignment group information set **e63** generated from the bank control information set **e39** indicates the results of grouping of memories in which data **L1** and data **L2** are stored, into different groups so that memory addresses **_L1** and **_L2** registered in memory address information in the bank control information set **e39** are grouped into
10 Gr1 and Gr2, respectively. Further, a value registered as the bank control priority level for the bank control information set **e39** is registered as the overall bank assignment priority level.

The bank assignment group information set **e63** is updated to the bank assignment group information set **e64** by the bank control information set **e40** that has information on
15 the memory address **_L2**, which has already been grouped in the bank assignment group information set **e39**. In the bank assignment group information set **e64**, added is the result of grouping a memory address **_L3** into Gr1, which is a different group from Gr2 into which the memory address **_L2** has already been grouped. A bank control priority level for the bank control information set **e40** is added to the overall bank-assignment priority
20 level for the bank assignment group information set **e63**, and the resultant value is reregistered as the overall bank-assignment priority level.

The bank assignment group information set **e64** is updated to the bank assignment group information set **e65** by the bank control information set **e42** that has information on the memory address **_L1** that has already been grouped in the bank assignment group
25 information set **e63**. A bank control priority level for the bank control information set **e42**

is added to the overall bank-assignment priority level for the bank assignment group information set **e64**, and the resultant value is reregistered as the overall bank-assignment priority level for the bank assignment group information set **e65**. Since the memory addresses **_L3** and **_L1** registered in the bank control information set **e42** have already
5 been registered in the bank assignment group information sets, no information on the memory addresses is added in the bank assignment group information set **e65**.

The bank assignment group information set **e65** is updated to the bank assignment group information set **e66** by the bank control information set **e41** that has information on the memory address **_L3** that has already been grouped in the bank assignment group
10 information set **e64**. In the bank assignment group information set **e66**, added is the result of grouping a memory address **_L4** into Gr2, which is a different group from Gr1 into which the memory address **_L3** has already been grouped. A bank control priority level for the bank control information set **e41** is added to the overall bank-assignment priority level for the bank assignment group information set **e65**, and the resultant value is
15 reregistered as the overall bank-assignment priority level. The completed bank assignment group information set **e66** is connected to the bank assignment group information set **e62**.

The above operations produce a bank assignment group information list **e67** which includes the bank assignment group information sets **e62** and **e66**. The bank assignment group information list **e67** is sorted in the order of decreasing overall bank-assignment
20 priority, and assigning of the data sets to banks is performed in sequence beginning with the data sets indicated by the memory addresses registered in the bank assignment group information set having a higher overall bank-assignment priority level.

Next, referring to FIG. 20, the bank control method shown in FIG. 19 will be described more specifically. FIG. 20 is a flow chart illustrating the bank control method in
25 which bank assignment priority levels are established according to data-use frequency, and

data having a high bank-assignment priority level and data used simultaneously with such data having a high bank-assignment priority level are assigned preferentially to banks. The flow chart corresponds to the operation of Step **ST203** in FIG. 6.

In Step **ST900**, the bank control information sets in the bank control information
5 list are sorted in order of decreasing bank-control priority.

In Step **ST901**, the head of the bank control information list is read.

In Step **ST902**, memory addresses that are not registered in the bank assignment group information list are registered in the bank assignment group information list.

In Step **ST903**, an overall bank-assignment priority level is registered in the bank
10 assignment group information list.

In Step **ST904**, the read bank control information set is removed from the bank control information list.

In Step **ST905**, it is determined whether there remains any bank control information set that has not yet been processed, in the bank control information list.

15 If it has been determined in Step **ST905** that such a bank control information set remains, then in Step **ST906** the ensuing bank control information set is read from the bank control information list.

In Step **ST907**, it is determined whether any memory address that has already been registered in the bank assignment group information list has been registered in memory
20 address information in the read bank control information set.

If it has been determined in Step **ST907** that such a memory address has been registered, a determination is made in Step **ST908** as to whether any memory address that has not been registered in the bank assignment group information list has been registered in the read bank control information set.

25 If it has been determined in Step **ST908** that such a memory address that has not

been registered in the bank assignment group information list has been registered in the memory address information in the read bank control information set, then in Step **ST909** the memory address that has not been registered in the bank assignment group information list is registered in the bank assignment group information list as a group which is different
5 from a group in which the other memory address that the memory address information in the same bank control information set indicates has already been registered.

In Step **ST910**, a bank control priority level for the read bank control information set is added to an overall bank-assignment priority level in the bank assignment group information list.

10 In Step **ST911**, the read bank control information set is removed from the bank control information list.

In Step **ST912**, it is determined whether the read bank control information set is the final information in the bank control information list.

If it has been determined in Step **ST912** that the read bank control information set
15 is the final information, the process returns to Step **ST901**. If it has been determined that it is not the final information, the process returns to Step **ST905**.

If it has been determined in Step **ST905** that such a bank control information set that has not been processed does not exist, then in Step **ST913** bank assignment is performed.

20 Next, bank assignment operation that corresponds to the operation of Step **ST913** in FIG. 20 will be discussed with reference to FIG. 21. FIG. 21 illustrates an exemplary bank assignment operation in which bank assignment priority levels are established according to data-use frequency, and data having a high bank-assignment priority level and data used simultaneously with such data having a high bank-assignment priority level are
25 assigned preferentially to banks.

The reference mark **e67** indicates a bank assignment group information list. The reference mark **e69** represents a list obtained by sorting the bank assignment group information list **e67** in order of decreasing overall bank-assignment priority.

The reference marks **e70** and **e71** denote bank assignment group information sets included in the bank assignment group information list **e69**.

The reference marks **e72** and **e73** indicate memory banks in which data sets are stored, and show the result of assigning the data sets to the banks in sequence beginning with the data sets stored in the areas indicated by the memory addresses registered in the bank assignment group information set **e70** at the head of the bank assignment group information list **e69**. In FIG. 21, data **L5**, data **L1** and data **L3** are assigned to the memory bank **MB1**, while data **L6**, data **L2** and data **L4** are assigned to the memory bank **MB2**. Alternatively, the data **L6**, data **L2** and data **L4** may be assigned to the memory bank **MB1**, whereas the data **L5**, data **L1** and data **L3** may be assigned to the memory bank **MB2**.

Subsequently, referring to FIG. 22, the bank assignment operation shown in FIG. 21 will be described more specifically. FIG. 22 is a flow chart illustrating the bank assignment operation in which bank assignment priority levels are established according to data-use frequency, and data having a high bank-assignment priority level and data used simultaneously with such data having a high bank-assignment priority level are assigned preferentially to banks. The flow chart corresponds to the operation of Step **ST913** in FIG. 20.

In Step **ST1000**, the bank assignment group information list is sorted in order of decreasing overall bank-assignment priority.

In Step **ST1001**, the bank assignment group information list is read from the head.

In Step **ST1002**, a determination is made as to whether a group of data sets that memory addresses grouped into one of the groups indicate can be assigned independently

to a bank without being assigned to the other bank, i.e., the bank to which a group of data sets that memory addresses grouped into the other group indicate is assigned, wherein the memory addresses are grouped in the read bank assignment group information sets.

If it has been determined in Step **ST1002** that such independent assignment to the
5 banks is possible, then in Step **ST1003** the groups of the data sets indicated by the grouped memory addresses are each independently assigned to their respective banks. In each of the read bank assignment group information sets, if the data sets that the grouped memory addresses indicate include a data set that has already been assigned to a bank, the other data set that has not been assigned to a bank is assigned to the other bank which is different
10 from the bank of the already assigned data set. When the data sets are assigned in Step **ST1003**, no memory bank conflict occurs.

If it has not been determined in Step **ST1002** that such independent assignment to the banks is possible, then in Step **ST1004** a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning a part of the data sets that
15 the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

If it has been determined in Step **ST1004** that it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory
20 addresses grouped into the other group indicate are assigned, then in Step **ST1005** a part of the data sets that the memory addresses grouped into the one group indicate is assigned to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned. When the data sets are assigned in Step **ST1005**, memory bank conflict occurs partially.

25 If it has not been determined in Step **ST1004** that it is possible assign all of the data

sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1006** a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

If it has been determined in Step **ST1006** that it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1007** the data sets indicated by the memory addresses grouped into the one group are assigned to the same bank to which the data sets indicated by the memory addresses grouped into the other group are assigned. When the data sets are assigned in Step **ST1007**, memory bank conflict occurs.

If it has not been determined in Step **ST1006** that it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1008** error handling is performed.

In Step **ST1009**, it is determined whether there exists an ensuing information set in the bank assignment group information list.

If it has been determined in Step **ST1009** that the ensuing information exists, the process returns to Step **ST1001** to repeat the operations of Step **ST1001** through Step **ST1009**.

As described above, in the third embodiment, frequently used data sets and data

sets used simultaneously with such frequently used data sets are assigned preferentially to banks in an automatic manner without causing memory bank conflict. This allows all the data sets to be assigned evenly to the banks without causing memory bank conflict.

5 (Fourth embodiment)

In a fourth embodiment, bank assignment priority levels are established according to data-use frequency, in which case data sets having a high bank-assignment priority level and data sets used simultaneously with such high-bank-assignment-priority-level data sets are assigned preferentially to banks, and meanwhile, the assigning of the data sets that are
10 used simultaneously with the high-bank-assignment-priority-level data sets, to the banks is also performed in sequence beginning with data sets having a high bank assignment priority level. In the fourth embodiment, bank control process steps are performed as shown in the flow chart of FIG. 5. Further, bank control information obtained in the fourth embodiment is the same as the bank control information shown in FIG. 47B, and the
15 method shown in FIG. 13 is used to obtain the bank control information shown in FIG. 47B.

Next, referring to FIG. 23, a bank control method in accordance with the fourth embodiment will be described. In the bank control method, bank assignment priority levels are established according to data-use frequency, in which case data sets having a
20 high bank-assignment priority level and data sets used simultaneously with such high-bank-assignment-priority-level data sets are assigned preferentially to banks, and meanwhile, the assigning of the data sets that are used simultaneously with the high-bank-assignment-priority-level data sets, to the banks is also performed in sequence beginning with data sets having a high bank assignment priority level.

25 The reference mark e35 indicates a bank control information list. The reference

mark **e37** represents a list obtained by sorting the bank control information list **e35** in order of decreasing bank-control priority. The reference marks **e38** through **e42** denote bank control information sets included in the bank control information list **e37**.

The reference mark **e81** indicates a bank assignment group information set created
5 from the bank control information set **e38**. The reference marks **e82** through **e85** indicate how bank assignment group information sets produced from the bank control information sets **e39** through **e42** are completed.

Now, bank assignment group information sets created in the fourth embodiment will be described with reference to FIG. **48D**. In the fourth embodiment, bank assignment
10 group information shown in FIG. **48D** is generated.

Each bank assignment group information set illustrated in FIG. **48D** includes:
information obtained as a result of the grouping of memory addresses performed based on the bank control information set in such a manner that the addresses of memories in which data sets to be assigned to the same bank are stored are grouped into the same group, while
15 the addresses of memories in which data sets to be assigned to different banks are stored are grouped into different groups; information on overall bank-assignment priority; and information that indicates where the ensuing bank assignment group information set is to be stored. In this embodiment, the information on the memory addresses grouped based on the bank control information sets takes the form of bank assignment information **1**, bank
20 assignment information **2**, ... bank assignment information **m** according to the bank control information sets. Each bank assignment information includes a priority level for the memory addresses registered therein. In this embodiment, the number of groups is equal to the number of banks. To obtain an overall bank-assignment priority level, each time a bank control information set is processed, a bank control priority level registered in
25 the bank control information set is added. Therefore, bank assignment group information

sets in which frequently used data sets are registered are allowed to have a higher overall bank-assignment priority level. Further, by holding the address information that indicates the ensuing-bank-assignment-group-information-set storage location, all of the bank assignment group information sets are connected in a list structure. The address
5 information that indicates the ensuing-bank-assignment-group-information-set storage location is registered at the time when the ensuing bank assignment group information set has been created.

Therefore, the bank assignment group information set **e81** generated from the bank control information set **e38** indicates in its bank assignment information **1** the results of
10 grouping memories in which data **L5** and data **L6** are stored, into different groups so that memory addresses **_L5** and **_L6** registered in memory address information in the bank control information set **e38** are grouped into Gr1 and Gr2, respectively. Further, a bank control priority level for the bank control information set **e76** is registered as a priority level for the bank assignment information **1**. And, the bank control priority level for the
15 bank control information set **e76** is registered as the overall bank-assignment priority level.

The bank assignment group information set **e82** generated from the bank control information set **e39** indicates in its bank assignment information **1** the results of grouping memories in which data **L1** and data **L2** are stored, into different groups so that memory addresses **_L1** and **_L2** registered in memory address information in the bank control
20 information set **e39** are grouped into Gr1 and Gr2, respectively. A bank control priority level for the bank control information set **e39** is registered as a priority level for the bank assignment information **1**. And the bank control priority level for the bank control information set **e39** is registered as the overall bank assignment priority level.

The bank assignment group information set **e82** is updated to the bank assignment
25 group information set **e83** by the bank control information set **e40** that has information on

the memory address **_L2** which has already been grouped in the bank assignment group information set **e82**. In the bank assignment group information set **e83**, added as bank assignment information 2 is the result of grouping a memory address **_L3** into Gr1, which is a different group from Gr2 into which the memory address **_L2** has already been grouped. A bank control priority level for the bank control information set **e40** is registered as a priority level for the bank assignment information 2. Further, the value obtained by adding the bank control priority level for the bank control information set **e40** to the overall bank assignment priority level for the bank assignment group information set **e82** is reregistered as the overall bank assignment priority level.

10 The bank assignment group information set **e83** is updated to the bank assignment group information set **e84** by the bank control information set **e42** that has information on the memory address **_L1** that has already been grouped in the bank assignment group information set **e82**. The value obtained by adding a bank control priority level for the bank control information set **e42** to the overall bank-assignment priority level for the bank assignment group information set **e83** is reregistered as the overall bank-assignment priority level for the bank assignment group information set **e84**. Since the memory addresses **_L3** and **_L1** registered in the bank control information set **e42** have already been registered in the bank assignment group information set, no bank assignment information is added in the bank assignment group information set **e84**.

20 The bank assignment group information set **e84** is updated to the bank assignment group information set **e85** by the bank control information set **e41** that has information on the memory address **_L3** that has already been grouped in the bank assignment group information set **e83**. In the bank assignment group information set **e85**, added as bank assignment information 3 is the result of grouping a memory address **_L4** into the group **Gr2**, which is a different group from Gr1 into which the memory address **_L3** has already

25

been grouped. A bank control priority level for the bank control information set **e41** is registered as a priority level for the bank assignment information **3**. Further, the value obtained by adding the priority level for the bank control information set **e41** to the overall priority level for the bank assignment group information set **e84** is reregistered as the overall bank assignment priority level. The bank assignment group information set **e85** completed in this manner is connected to the bank assignment group information set **e81**.

The above operations produce a bank assignment group information list **e86** which includes the bank assignment group information sets **e81** and **e85**. The bank assignment group information list **e86** is sorted in the order of decreasing overall bank-assignment priority, and assigning of the data sets to banks is performed in sequence beginning with the data sets indicated by the memory addresses registered in the bank assignment information **1** in the bank assignment group information set with a high overall bank-assignment priority level.

Next, referring to FIG. 24, the bank control method shown in FIG. 23 will be described more specifically. FIG. 24 is a flow chart illustrating the bank control method in which bank assignment priority levels are established according to data-use frequency, in which case data sets having a high bank-assignment priority level and data sets used simultaneously with such high-bank-assignment-priority-level data sets are assigned preferentially to banks, and meanwhile, the assigning of the data sets that are used simultaneously with the high-bank-assignment-priority-level data sets, to the banks is also performed in sequence beginning with data sets having a high bank assignment priority level. The flow chart corresponds to the operation of Step **ST102** in FIG. 5.

In Step **ST1100**, the bank control information sets in the bank control information list are sorted in order of decreasing bank-control priority.

In Step **ST1101**, the head of the bank control information list is read.

In Step **ST1102**, memory addresses that are not registered in the bank assignment group information list are registered in the bank assignment group information list.

In Step **ST1103**, an overall bank-assignment priority level is registered in the bank assignment group information list.

5 In Step **ST1104**, the read bank control information set is removed from the bank control information list.

In Step **ST1105**, it is determined whether there remains any bank control information set that has not yet been processed, in the bank control information list.

If it has been determined in Step **ST1105** that such a bank control information set
10 that has not been processed remains, then in Step **ST1106** the ensuing bank control information set is read from the bank control information list.

In Step **ST1107**, it is determined whether any memory address that has already been registered in the bank assignment group information list has been registered in memory address information within the read bank control information set.

15 If it has been determined in Step **ST1107** that such a memory address that has already been registered in the bank assignment group information list has been registered in the memory address information within the read bank control information set, then a determination is made in Step **ST1108** as to whether any memory address that has not been registered in the bank assignment group information list has been registered in the bank
20 control information set.

If it has been determined in Step **ST1108** that such a memory address that has not been registered in the bank assignment group information list has been registered in the memory address information in the bank control information set, then in Step **ST1109** the memory address that has not been registered in the bank assignment group information list
25 is registered in the bank assignment group information list as a group which is different

from a group in which the other memory address that the memory address information in the same bank control information set indicates has already been registered.

In Step **ST1110**, a bank control priority level for the read bank control information set is added to an overall bank-assignment priority level in the bank assignment group
5 information list.

In Step **ST1111**, the read bank control information set is removed from the bank control information list.

In Step **ST1112**, it is determined whether the read bank control information set is the final information in the bank control information list.

10 If it has been determined in Step **ST1112** that the read bank control information set is the final information, the process returns to Step **ST1101**. If it has been determined that it is not the final information, the process returns to Step **ST1105**.

If it has been determined in Step **ST1105** that such a bank control information set that has not been processed does not remain, then in Step **ST1113** bank assignment is
15 performed.

Next, bank assignment operation that corresponds to the operation of Step **ST1113** in FIG. 24 will be discussed with reference to FIG. 25. FIG. 25 illustrates an exemplary bank assignment operation in which bank assignment priority levels are established according to data-use frequency, in which case data sets having a high bank-assignment
20 priority level and data sets used simultaneously with such high-bank-assignment-priority-level data sets are assigned preferentially to banks, and meanwhile, the assigning of the data sets that are used simultaneously with the high-bank-assignment-priority-level data sets, to the banks is also performed in sequence beginning with data sets having a high bank assignment priority level.

25 The reference mark **e86** indicates a bank assignment group information list. The

reference mark **e88** represents a list obtained by sorting the bank assignment group information list **e86** in order of decreasing overall bank-assignment priority. The reference marks **e89** and **e90** denote bank assignment group information sets included in the bank assignment group information list **e88**.

5 The reference marks **e91** and **e92** indicate memory banks in which data sets are stored, and show the result of assigning the data sets to the banks in sequence beginning with the data sets stored in the areas indicated by the memory addresses registered in the bank assignment group information set **e89** at the head of the bank assignment group information list **e88**. In FIG. 25, data **L5**, data **L1** and data **L3** are assigned to the memory
10 bank **MB1**, while data **L6**, data **L2** and data **L4** are assigned to the memory bank **MB2**. Alternatively, the data **L6**, data **L2** and data **L4** may be assigned to the memory bank **MB1**, whereas the data **L5**, data **L1** and data **L3** may be assigned to the memory bank **MB2**.

Subsequently, referring to FIG. 26, the bank assignment operation shown in FIG. 25 will be described more specifically. FIG. 26 is a flow chart illustrating the bank control
15 operation in which bank assignment priority levels are established according to data-use frequency, in which case data sets having a high bank-assignment priority level and data sets used simultaneously with such high-bank-assignment-priority-level data sets are assigned preferentially to banks, and meanwhile, the assigning of the data sets that are used simultaneously with the high-bank-assignment-priority-level data sets, to the banks is also
20 performed in sequence beginning with data sets having a high bank assignment priority level. The flow chart corresponds to the operation of Step **ST1113** in FIG. 24.

In Step **ST1200**, the bank assignment group information list is sorted in order of decreasing overall bank-assignment priority.

In Step **ST1201**, the bank assignment group information list is read from the head.

25 In Step **ST1202**, a determination is made as to whether a group of data sets that

memory addresses grouped into one of the groups indicate can be assigned independently to a bank without being assigned to the other bank, i.e., the bank to which a group of data sets that memory addresses grouped into the other group indicate is assigned, wherein the memory addresses are grouped in the read bank assignment group information sets.

5 If it has been determined in Step **ST1202** that such independent assignment to the banks is possible, then in Step **ST1203** the groups of the data sets indicated by the grouped memory addresses are each independently assigned to their respective banks. In each of the read bank assignment group information sets, if the data sets that the grouped memory addresses indicate include a data set that has already been assigned to a bank, the other
10 data set that has not been assigned to a bank is assigned to the other bank which is different from the bank of the already assigned data set. When the data sets are assigned in Step **ST1203**, no memory bank conflict occurs.

 If it has not been determined in Step **ST1202** that such independent assignment to the banks is possible, then in Step **ST1204** a determination is made as to whether it is
15 possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

 If it has been determined in Step **ST1204** that it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped
20 into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1205** the bank assignment information sets within a bank assignment group information set are rearranged in order of decreasing priority.

 In Step **ST1206**, the bank assignment information sets are read from the head.

25 In Step **ST1207**, a determination is made as to whether a group of data sets that

memory addresses grouped into one of the groups indicate can be assigned independently to a bank without being assigned to the other bank, i.e., the bank to which a group of data sets that memory addresses grouped into the other group indicate is assigned, wherein the memory addresses are grouped in the read bank assignment information sets.

5 If it has been determined in Step **ST1207** that such independent assignment to the banks is possible, then in Step **ST1208** the groups of the data sets indicated by the grouped memory addresses are each independently assigned to their respective banks. In each of the read bank assignment information sets, if the data sets that the grouped memory addresses indicate include a data set that has already been assigned to a bank, the other
10 data set that has not been assigned to a bank is assigned to the other bank which is different from the bank of the already assigned data set.

 If it has not been determined in Step **ST1207** that such independent assignment to the banks is possible, then in Step **ST1209** a part of the data sets that the memory addresses grouped into the one group indicate is assigned to the same bank to which the data sets that
15 the memory addresses grouped into the other group indicate are assigned.

 In Step **ST1210**, it is determined whether there exists any bank assignment information set that has not been processed, in the bank assignment group information set.

 If it has been determined in Step **ST1210** that such a bank assignment information set exists, the process returns to Step **ST1206** to repeat the operations of Step **ST1206**
20 through Step **ST1210**. If the data sets are assigned in Steps **ST1205** through **ST1210**, memory bank conflict occurs partially.

 If it has not been determined in Step **ST1204** that it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the
25 memory addresses grouped into the other group indicate are assigned, then in Step **ST1211**

a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

5 If it has been determined in Step **ST1211** that it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1212** the bank assignment information sets within a bank assignment group information set are rearranged in order of
10 decreasing priority.

 In Step **ST1213**, the bank assignment information sets are read from the head.

 In Step **ST1214**, a determination is made as to whether a group of data sets that memory addresses grouped into one of the groups indicate can be assigned independently to a bank without being assigned to the other bank, i.e., the bank to which a group of data
15 sets that memory addresses grouped into the other group indicate is assigned, wherein the memory addresses are grouped in the read bank assignment information sets.

 If it has been determined in Step **ST1214** that such independent assignment to the banks is possible, then in Step **ST1215** the groups of the data sets indicated by the grouped memory addresses are each independently assigned to their respective banks. In each of
20 the read bank assignment information sets, if the data sets that the grouped memory addresses indicate include a data set that has already been assigned to a bank, the other data set that has not been assigned to a bank is assigned to the other bank which is different from the bank of the already assigned data set.

 If it has not been determined in Step **ST1214** that such independent assignment to
25 the banks is possible, then in Step **ST1216** the data sets that the memory addresses grouped

into the one group indicate are assigned to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

In Step **ST1217**, it is determined whether there exists any bank assignment information set that has not been processed, in the bank assignment group information set.

5 If it has been determined in Step **ST1217** that such a bank assignment information set exists, the process returns to Step **ST1213** to repeat the operations of Step **ST1213** through Step **ST1217**. If the data sets are assigned in Steps **ST1212** through **ST1217**, memory bank conflict occurs.

If it has not been determined in Step **ST1211** that it is possible to assign all of the
10 data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1218** error handling is performed.

In Step **ST1219**, it is determined whether there exists an ensuing information set in
15 the bank assignment group information list.

If it has been determined in Step **ST1219** that the ensuing information exists, the process returns to Step **ST1201** to repeat the operations of Step **ST1201** through Step **ST1219**.

As described above, in the fourth embodiment, frequently used data sets and data
20 sets used simultaneously with such frequently used data sets are assigned preferentially to banks in an automatic manner without causing memory bank conflict. This allows all of the data sets to be assigned evenly to the banks without causing memory bank conflict. Further, the assigning of the frequently used data sets and the data sets used simultaneously with the frequently used data sets, to the banks is performed in sequence beginning with
25 data sets having high priority, which permits the data sets having high priority to be

assigned to the banks without causing memory bank conflict, even in a case where there is not enough bank capacity.

(Fifth embodiment)

5 In a fifth embodiment, the functions described in the first through fourth embodiments are supported by user-described bank control instructions.

FIG. 27 illustrates an example of bank assignment in which data sets to be assigned to different banks are designated by bank control instructions. The reference mark **e93** indicates an example of an input file in which memory reference instructions and bank control instructions are written. The exemplary input file is one obtained by adding bank
10 control instructions **e93-1** and **e93-12** to the input file **e1**.

The bank control instruction **e93-1** is an instruction that specifies that data sets **L1** and **L2** are assigned to different banks. The designated data sets **L1** and **L2** are assigned preferentially to the different banks.

15 The bank control instruction **e93-12** is an instruction that specifies that data sets **L5** and **L6** are assigned to different banks. The designated data sets **L5** and **L6** are assigned preferentially to the different banks.

The reference marks **e94** and **e95** indicate examples of the results of preferentially assigning to the banks the data sets **L1**, **L2**, **L5**, and **L6** that are designated by the bank
20 control instructions.

After the data sets designated by the bank control instructions have been assigned to the banks, among the data sets referred to in the input file **e93**, assigned to the banks are data sets **L3** and **L4**, to which no bank is assigned by the bank control instructions. The reference marks **e96** and **e97** indicate examples of the memory banks after the data sets
25 that are not designated by the bank control instructions have been assigned to the banks.

Assigning in the above manner to the banks all of the data sets **L1** through **L6** referred to in the input file **e93** results in the memory banks **e96** and **e97**.

Next, it will be described how to perform bank assignment in which bank control instructions such as shown in FIG. 27 are used.

5 FIG. 28 is a flow chart illustrating process steps in bank control in which bank control instructions designate data sets to be assigned to different banks.

In Step **ST1300**, a bank control instruction, or a memory reference instruction performed by the arithmetic processing unit **12** is read.

10 In Step **ST1301**, it is determined whether the read instruction is a bank control instruction.

If it has been determined in Step **ST1301** that the read instruction is a bank control instruction, then in Step **ST1302** necessary information for bank control performed according to the bank control instruction (which will be hereinafter referred to as “bank control instruction information”) is obtained for the bank control instruction.

15 If it has not been determined in Step **ST1301** that the read instruction is a bank control instruction, then in Step **ST1303** a bank control information set is obtained for the read instruction. The operation in Step **ST1303** is performed using the method shown in FIG. 7 or 13.

20 In Step **ST1304**, a determination is made as to whether all bank control instruction information sets or all bank control information sets have been obtained for all the bank control instructions or all the memory reference instructions.

If it has not been determined in Step **ST1304** that all the information sets have been obtained, the process returns to Step **ST1300** to repeat the operations of Step **ST1300** through Step **ST1304**.

25 If it has been determined in Step **ST1304** that all the information sets have been

obtained, then in Step **ST1305** bank control for the data sets designated by the bank control instructions is performed.

Step **ST1306** is a step in which bank control is performed for, among the data sets referred to by the memory reference instructions, data sets that are not designated by the bank control instructions. In this step, any of the methods shown in FIGS. **10**, **16**, **20**, and **24** is used in accordance with the bank control information obtained in Step **ST1303**.

Now, referring to FIG. **49A**, the bank control instruction information obtained in the fifth embodiment will be described. A bank control instruction information set shown in FIG. **49A** is generated each time a bank control instruction is read. The bank control instruction information set includes information on the addresses of memories in which data sets designated by the bank control instruction are stored, and address information that indicates a location in which an ensuing bank control instruction information set is to be stored. By holding the address information that indicates the ensuing-bank-control-instruction-information-set storage location, all of the bank control instruction information sets are connected in a list structure. The address information that indicates the ensuing-bank-control-instruction-information-set storage location is registered at the time that the ensuing bank control instruction information set has been created.

Next, operation for obtaining the bank control instruction information set shown in FIG. **49A** will be discussed with reference to FIG. **29**.

The reference mark **e93** indicates an example of an input program in which memory reference instructions and bank control instructions are written. The reference mark **e99** indicates a bank control instruction information set obtained in accordance with a bank control instruction **e93-1**. Since the bank control instruction **e93-1** specifies that data **L1** and data **L2** are assigned to different banks, the address **_L1** of a memory in which the data **L1** is stored and the address **_L2** of a memory in which the data **L2** is stored are

registered in memory address information in the bank control instruction information set **e99**.

The reference mark **e100** indicates a bank control instruction information set obtained according to a bank control instruction **e93-12**. Since the bank control instruction **e93-12** specifies that data **L5** and data **L6** are assigned to different banks, the address **_L5** of a memory in which the data **L5** is stored and the address **_L6** of a memory in which the data **L6** is stored are registered in memory address information in the bank control instruction information set **e100**. The bank control instruction information set **e100** is connected to the bank control instruction information set **e99**.

The above operations produce a bank control instruction information list **e101** that includes the bank control instruction information sets **e99** and **e100**.

Subsequently, the operation for obtaining the bank control instruction information sets, shown in FIG. 29, will be described more specifically with reference to FIG. 30. FIG. 30 is a flow chart illustrating the operation for obtaining the bank control instruction information shown in FIG. 49A. The flow chart corresponds to the operation of Step **ST1302** in FIG. 28.

Step **ST1400** is to obtain information on the addresses of memories, in which data sets that are specified to be assigned to different banks by a bank control instruction are stored.

In Step **ST1401**, the memory address information set obtained in Step **ST1400** is registered in the corresponding bank control instruction information set, and connected to the bank control instruction information list.

Next, referring to FIG. 31, a bank control method in which data sets to be assigned to different banks are specified by bank control instructions, will be described as a bank control method in the fifth embodiment.

The reference mark **e101** indicates a bank control instruction information list. The reference marks **e99** and **e100** represent bank control instruction information sets included in the bank control instruction information list **e101**.

The reference marks **e105** and **e106** indicate bank assignment group information sets for bank control instructions, created from the bank control instruction information sets **e99** and **e100**.

Now, bank assignment group information sets for bank control instructions produced in the fifth embodiment will be described with reference to FIG. 50A. In the fifth embodiment, bank assignment group information for bank control instruction shown in FIG. 50A is generated. Each bank-control-instruction bank assignment group information set shown in FIG. 50A includes: information obtained as result of the grouping of memory addresses performed based on the bank control instruction information in such a manner that the addresses of memories in which data sets to be assigned to the same bank are stored are grouped into the same group, while the addresses of memories in which data sets to be assigned to different banks are stored are grouped into different groups; and address information that indicates where the ensuing bank assignment group information set is to be stored. In this embodiment, the number of groups is equal to the number of banks. By holding the address information that indicates the ensuing-bank-assignment-group-information-set storage location, all of the bank-control-instruction bank assignment group information sets are connected in a list structure. The address information that indicates the ensuing-bank-assignment-group-information-set storage location, is registered at the time that the ensuing bank assignment group information set has been created.

Therefore, the bank-control-instruction bank assignment group information set **e105** generated from the bank control instruction information set **e99** indicates the results

of grouping memories in which data **L1** and data **L2** are stored, into different groups so that memory addresses **_L1** and **_L2** registered in memory address information in the bank control instruction information set **e99** are grouped into Gr 1 and Gr2, respectively.

Further, the bank-control-instruction bank assignment group information set **e106** generated from the bank control instruction information set **e100** indicates the results of grouping memories in which data **L5** and data **L6** are stored, into different groups so that memory addresses **_L5** and **_L6** registered in memory address information in the bank control instruction information set **e100** are grouped into Gr 1 and Gr2, respectively. The bank-control-instruction bank assignment group information set **e106** is connected to the bank-control-instruction bank assignment group information set **e105**.

The above operations produce a bank-control-instruction bank assignment group information list **e107**, which includes the bank-control-instruction bank assignment group information sets **e105** and **e106**. Assigning of the data sets to banks is performed in sequence beginning with the data sets indicated by the memory addresses registered in the bank-control-instruction bank assignment group information set **e105** at the head of the bank assignment group information list **e107**.

Next, the bank control method performed in accordance with the bank control instructions, shown in FIG. 31, will be described more specifically with reference to FIG. 32. FIG. 32 is a flow chart illustrating the bank control method in which data sets to be assigned to different banks are specified by the bank control instructions. The flow chart corresponds to the operation of Step **ST1305** in FIG. 28.

In Step **ST1500**, the head of the bank control instruction information list is read.

In Step **ST1501**, it is determined whether the memory addresses indicated by memory address information within the read bank control instruction information set include any memory address that has not been registered in the bank-control-instruction

bank assignment group information list.

If it has been determined in Step **ST1501** that there is such a memory address that has not been registered in the bank-control-instruction bank assignment group information list, then in Step **ST1502** the unregistered memory address is registered in the bank assignment group information list as a group which is different from a group in which the
5 other memory address that the memory address information within the same bank control instruction information set indicates has already been registered.

In Step **ST1503**, the read bank control instruction information set is removed from the bank control instruction information list.

10 In Step **ST1504**, it is determined whether the bank control instruction information list still includes any bank control instruction information set that has not yet been processed.

If it has been determined in Step **ST1504** that the bank control instruction information list still includes such a bank control instruction information set that has not
15 yet been processed, the process returns to Step **ST1500** to repeat the operations of Steps **ST1500** through **ST1504**.

If it has been determined in Step **ST1504** that the bank control instruction information list includes no bank control instruction information set that has not been processed, bank assignment is performed in Step **ST1505**.

20 Next, bank assignment operation that corresponds to the operation of Step **ST1505** in FIG. 32 will be discussed using an example shown in FIG. 33. FIG. 33 indicates an exemplary bank assignment operation in which data sets to be assigned to different banks are specified by bank control instructions.

The reference mark **e107** denotes a bank-control-instruction bank assignment group
25 information list. The reference marks **e105** and **e106** indicate bank assignment group

information sets for bank control instructions included in the bank-control-instruction bank assignment group information list **e107**.

The reference marks **e111** and **e112** indicate memory banks in which data sets are stored, and show exemplary results of assigning to the banks the data sets that are specified to be assigned to different banks by bank control instructions. Specifically, the memory banks **e111** and **e112** show the results of assigning the data sets to the banks in sequence beginning with the data sets stored in the areas indicated by the memory addresses registered in the bank-control-instruction bank assignment group information set **e105** at the head of the bank-control-instruction bank assignment group information list **e107**. In FIG. 33, data **L1** and data **L5** are assigned to the memory bank **MB1**, while data **L2** and data **L6** are assigned to the memory bank **MB2**. Alternatively, the data **L2** and data **L6** may be assigned to the memory bank **MB1**, whereas the data **L1** and data **L5** may be assigned to the memory bank **MB2**.

Subsequently, referring to FIG. 34, the bank assignment operation shown in FIG. 33 will be described more specifically. FIG. 34 is a flow chart illustrating the bank assignment operation in which data sets to be assigned to different banks are specified by the bank control instructions. The flow chart corresponds to the operation of Step **ST1505** in FIG. 32.

In Step **ST1600**, the bank-control-instruction bank assignment group information list is read from the head.

In Step **ST1601**, a determination is made as to whether a group of data sets that memory addresses grouped into one of the groups indicate can be assigned independently to a bank without being assigned to the other bank, i.e., the bank to which a group of data sets that memory addresses grouped into the other group indicate is assigned, wherein the memory addresses are grouped in the read bank assignment group information sets.

If it has been determined in Step **ST1601** that such independent assignment to the banks is possible, then in Step **ST1602** the groups of the data sets indicated by the grouped memory addresses are each independently assigned to their respective banks. In each of the read bank assignment group information sets, if the data sets that the grouped memory addresses indicate include a data set that has already been assigned to a bank, the other data set that has not yet been assigned to a bank is assigned to the other bank which is different from the bank of the already assigned data set. If the data sets are assigned in Step **ST1602**, no memory bank conflict occurs.

If it has not been determined in Step **ST1601** that such independent assignment to the banks is possible, then in Step **ST1603** a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

If it has been determined in Step **ST1603** that it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1604** a part of the data sets that the memory addresses grouped into the one group indicate is assigned to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned. When the data sets are assigned in Step **ST1604**, memory bank conflict occurs partially.

If it has not been determined in Step **ST1603** that it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1605**

a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

5 If it has been determined in Step **ST1605** that it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1606** the data sets that the memory addresses grouped into the one group indicate are assigned to the same bank to
10 which the data sets that the memory addresses grouped into the other group indicate are assigned. When the data sets are assigned in Step **ST1606**, memory bank conflict occurs.

 If it has not been determined in Step **ST1605** that it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses
15 grouped into the other group indicate are assigned, then in Step **ST1607** error handling is performed.

 In Step **ST1608**, it is determined whether there exists an ensuing information set in the bank-control-instruction bank assignment group information list.

 If it has been determined in Step **ST1608** that the ensuing information exists, the
20 process returns to Step **ST1600** to repeat the operations of Step **ST1600** through Step **ST1608**.

 As described above, in the fifth embodiment, data sets specified by the user are allowed to be assigned preferentially to banks without causing memory bank conflict.

25 (Sixth embodiment)

In a sixth embodiment, a bank assignment method in which priority levels for bank control are set by bank control instructions, will be described. In the sixth embodiment, the method shown in FIG. 28 is used. Now, referring to FIG. 49B, bank control instruction information obtained in the sixth embodiment will be described. A bank control instruction information set shown in FIG. 49B is produced each time a bank control instruction is read. The bank control instruction information set includes: information on the addresses of memories in which data sets designated by the bank control instruction are stored; information on bank control priority; and address information that indicates a location in which an ensuing bank control instruction information set is to be stored. By holding the address information that indicates the ensuing-bank-control-instruction-information-set storage location, all of the bank control instruction information sets are connected in a list structure. The address information that indicates the ensuing-bank-control-instruction-information-set storage location is registered at the time that the ensuing bank control instruction information set has been created.

Next, operation for obtaining the bank control instruction information set shown in FIG. 49B will be discussed with reference to FIG. 35.

The reference mark **e113** indicates an example of an input program in which memory reference instructions and bank control instructions are written. The input program **e113** is one obtained by changing the respective bank control instructions **e93-1** and **e93-12** in the input program **e93** to bank control instructions **e113-1** and **e113-12** having priority levels.

The reference mark **e114** indicates a bank control instruction information set obtained in accordance with the bank control instruction **e113-1**. The bank control instruction **e113-1** specifies that data **L1** and data **L2** are assigned to different banks at a priority level of 10. Thus, in memory address information in the bank control instruction

information set **e114**, the address **_L1** of a memory in which the data **L1** is stored and the address **_L2** of a memory in which the data **L2** is stored are registered, and the level “10” is registered as a bank assignment priority level.

The reference mark **e115** indicates a bank control instruction information set
5 obtained according to the bank control instruction **e113-12**. The bank control instruction **e113-12** specifies that data **L5** and the data **L6** are assigned to different banks at a priority level of 20. Thus, in memory address information in the bank control instruction information set **e115**, the address **_L5** of a memory in which the data **L5** is stored and the address **_L6** of a memory in which the data **L6** is stored are registered, and the level “20”
10 is registered as a bank assignment priority level. The bank control instruction information set **e115** is connected to the bank control instruction information set **e114**.

The above operations produce a bank control instruction information list **e116** that includes the bank control instruction information sets **e114** and **e115**.

Subsequently, the operation for obtaining the bank control instruction information
15 sets, shown in FIG. 35, will be described more specifically with reference to FIG. 36. FIG. 36 is a flow chart illustrating the operation for obtaining the bank control instruction information shown in FIG. 49B. The flow chart corresponds to the operation of Step **ST1302** in FIG. 28.

Step **ST1700** is to obtain information on the addresses of memories in which data
20 sets specified to be assigned to different banks are stored.

In Step **ST1701**, a specified priority level is set as a bank control priority level.

In Step **ST1702**, the memory address information obtained in Step **ST1700** and the bank control priority level obtained in Step **ST1701** are registered in the corresponding bank control instruction information set, and connected to the bank control instruction
25 information list.

Next, referring to FIG. 37, a bank control method in which priority levels for bank control are set by bank control instructions, will be described as a bank control method in the sixth embodiment.

The reference mark **e116** indicates a bank control instruction information list. The reference mark **e118** indicates a list obtained by rearranging the bank control instruction information list **e116** in order of decreasing priority levels. The reference marks **e119** and **e120** represent bank control instruction information sets included in the bank control instruction information list **e118**. The reference marks **e121** and **e122** indicate bank assignment group information sets for bank control instructions, created from the bank control instruction information sets **e119** and **e120**.

Now, bank assignment group information sets for bank control instructions, produced in the sixth embodiment, will be described with reference to FIG. 50B. In the sixth embodiment, bank-control-instruction bank assignment group information shown in FIG. 50B is generated.

Each bank-control-instruction bank assignment group information set shown in FIG. 50B includes: information obtained as result of the grouping of memory addresses performed based on the bank control instruction information in such a manner that the addresses of memories in which data sets to be assigned to the same bank are stored are grouped into the same group, while the addresses of memories in which data sets to be assigned to different banks are stored are grouped into different groups; information on priority for bank assignment; and address information that indicates where the ensuing bank assignment group information set is to be stored. In this embodiment, the number of groups is equal to the number of banks. By holding the address information that indicates the ensuing-bank-assignment-group-information-set storage location, all of the bank-control-instruction bank assignment group information sets are connected in a list structure.

The address information that indicates the ensuing-bank-assignment-group-information-set storage location, is registered at the time when the ensuing bank assignment group information set has been created.

Therefore, the bank-control-instruction bank assignment group information set
5 **e121**, generated from the bank control instruction information set **e119**, indicates the results of grouping memories in which data **L5** and data **L6** are stored, into different groups so that memory addresses **_L5** and **_L6** registered in memory address information in the bank control instruction information set **e119** are grouped into Gr 1 and Gr2, respectively. Further, a priority level registered in the bank control instruction information
10 set **e119** is registered as a bank assignment priority level.

Next, the bank-control-instruction bank assignment group information set **e122**, generated from the bank control instruction information set **e120**, indicates the results of grouping memories in which data **L1** and data **L2** are stored, into different groups so that memory addresses **_L1** and **_L2** registered in memory address information in the bank
15 control instruction information set **e120** are grouped into Gr 1 and Gr2, respectively. Further, a priority level registered in the bank control instruction information set **e120** is registered as a bank assignment priority level. The bank-control-instruction bank assignment group information set **e122** is connected to the bank-control-instruction bank assignment group information set **e121**.

20 The above operations produce a bank-control-instruction bank assignment group information list **e123**, which includes the bank-control-instruction bank assignment group information sets **e121** and **e122**. Assigning of the data sets to banks is performed in sequence beginning with the data sets indicated by the memory addresses registered in the bank-control-instruction bank assignment group information set **e121** at the head of the
25 bank assignment group information list **e123**.

Next, the bank control method in accordance with the bank control instructions, shown in FIG. 37, will be described more specifically with reference to FIG. 38. FIG. 38 is a flow chart illustrating the bank control method in which priority levels for bank control are established by the bank control instructions. The flow chart corresponds to the
5 operation of Step **ST1305** in FIG. 28.

In Step **ST1800**, the bank control instruction information list is sorted in order of decreasing priority.

In Step **ST1801**, the head of the bank control instruction information list is read.

In Step **ST1802**, it is determined whether the memory addresses indicated by
10 memory address information in the read bank control instruction information set include any memory address that has not been registered in the bank-control-instruction bank assignment group information list.

If it has been determined in Step **ST1802** that there is such a memory address that has not yet been registered in the bank-control-instruction bank assignment group
15 information list, then in Step **ST1803** the unregistered memory address is registered in the bank assignment group information list as a group which is different from a group in which the other memory address that the memory address information in the same bank control instruction information set indicates has already been registered.

In Step **ST1804**, the read bank control instruction information set is removed from
20 the bank control instruction information list.

In Step **ST1805**, it is determined whether the bank control instruction information list still includes any bank control instruction information set that has not yet been processed.

If it has been determined in Step **ST1805** that the bank control instruction
25 information list still includes such a bank control instruction information set that has not

yet been processed, the process returns to Step **ST1801** to repeat the operations of Steps **ST1801** through **ST1805**.

If it has been determined in Step **ST1805** that the bank control instruction information list includes no bank control instruction information set that has not been
5 processed, bank assignment is performed in Step **ST1806**.

Next, bank assignment operation that corresponds to the operation of Step **ST1806** in FIG. **38** will be discussed using an example shown in FIG. **39**. FIG. **39** illustrates an exemplary bank assignment operation in which priority levels for bank control are established by bank control instructions.

10 The reference mark **e123** denotes a bank-control-instruction bank assignment group information list. The reference marks **e121** and **e122** indicate bank-control-instruction bank assignment group information sets included in the bank-control-instruction bank assignment group information list **e123**.

The reference marks **e127** and **e128** indicate memory banks in which data sets are
15 stored, and show exemplary results of assigning to the banks the data sets that are specified to be assigned to different banks by bank control instructions. Specifically, the memory banks **e127** and **e128** show the results of assigning the data sets to the banks in sequence beginning with the data sets stored in the areas indicated by the memory addresses registered in the bank-control-instruction bank assignment group information set **e121** at
20 the head of the bank-control-instruction bank assignment group information list. In FIG. **39**, data **L5** and data **L1** are assigned to the memory bank **MB1**, while data **L6** and data **L2** are assigned to the memory bank **MB2**. Alternatively, the data **L6** and data **L2** may be assigned to the memory bank **MB1**, whereas the data **L5** and data **L1** may be assigned to the memory bank **MB2**.

25 Subsequently, referring to FIG. **40**, the bank assignment operation shown in FIG.

39 will be described more specifically. FIG. 40 is a flow chart illustrating the bank assignment operation in which priority levels for bank control are established by the bank control instructions. The flow chart corresponds to the operation of Step ST1806 in FIG. 38.

5 In Step ST1900, the bank-control-instruction bank assignment group information list is read from the head.

 In Step ST1901, a determination is made as to whether a group of data sets that memory addresses grouped into one of the groups indicate can be assigned independently to a bank without being assigned to the other bank, i.e., the bank to which a group of data
10 sets that memory addresses grouped into the other group indicate is assigned, wherein the memory addresses are grouped in the read bank assignment group information sets.

 If it has been determined in Step ST1901 that such independent assignment to the banks is possible, then in Step ST1902 the groups of the data sets indicated by the grouped memory addresses are each independently assigned to their respective banks. In each of
15 the read bank assignment group information sets, if the data sets that the grouped memory addresses indicate include a data set that has already been assigned to a bank, the other data set that has not yet been assigned to a bank is assigned to the other bank which is different from the bank of the already assigned data set. If the data sets are assigned in Step ST1902, no memory bank conflict occurs.

20 If it has not been determined in Step ST1901 that such independent assignment to the banks is possible, then in Step ST1903 a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

25 If it has been determined in Step ST1903 that it is possible to assign all of the data

sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1904** a part of the data sets that the memory addresses grouped into the one group indicate is assigned to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned. If the data sets are assigned in Step **ST1904**, memory bank conflict occurs partially.

If it has not been determined in Step **ST1903** that it is possible to assign all of the data sets to the banks by assigning a part of the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1905** a determination is made as to whether it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned.

If it has been determined in Step **ST1905** that it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned, then in Step **ST1906** the data sets that the memory addresses grouped into the one group indicate are assigned to the same bank to which the data sets that the memory addresses grouped into the other group indicate are assigned. When the data sets are assigned in Step **ST1906**, memory bank conflict occurs.

If it has not been determined in Step **ST1905** that it is possible to assign all of the data sets to the banks by assigning the data sets that the memory addresses grouped into the one group indicate, to the same bank to which the data sets that the memory addresses

grouped into the other group indicate are assigned, then in Step **ST1907** error handling is performed.

In Step **ST1908**, it is determined whether there exists an ensuing information set in the bank-control-instruction bank assignment group information list.

5 If it has been determined in Step **ST1908** that the ensuing information exists, the process returns to Step **ST1900** to repeat the operations of Step **ST1900** through Step **ST1908**.

As described above, in the sixth embodiment, priority levels are established among the data sets that are specified by the user, which allows particularly important data sets to
10 be assigned to banks without causing any memory bank conflict.

(Seventh embodiment)

In a seventh embodiment, a bank assignment method using bank-specifying instructions will be described. Specifically, referring to FIG. 41, a method in which the
15 functions described in the first through fourth embodiments are supported by user-described bank-specifying instructions, will be described. FIG. 41 indicates a simplest example of bank assignment, in which bank-specifying instructions specify to which banks given data sets should be assigned, wherein the processor includes two banks.

The reference mark **e129** denotes an example of an input file in which memory
20 reference instructions, a bank control instruction and bank-specifying instructions are written. The input file **e129** is one obtained by adding bank-specifying instructions **e129-12** and **e129-13** to the input file **e93**.

The bank-specifying instruction **e129-12** is an instruction that specifies that data **L5** is assigned to a memory bank **MB1**. The designated data **L5** is assigned preferentially to
25 the memory bank **MB1**.

The bank-specifying instruction **e129-13** is an instruction that specifies that data **L6** is assigned to a memory bank **MB2**. The designated data **L6** is assigned preferentially to the memory bank **MB2**.

The reference marks **e130** and **e131** indicate examples of the results of assigning
5 the data **L5** and data **L6**, designated by the bank-specifying instructions, preferentially to the respective banks.

After the data sets designated by the bank-specifying instructions have been assigned to the specified banks, data **L1** and data **L2** that are specified to be assigned to different banks by a bank control instruction are assigned to the banks. The reference
10 marks **e132** and **e133** indicate examples of the memory banks after the data sets designated by the bank control instruction have been assigned to the banks.

After the data sets designated by the bank control instruction have been assigned to the banks, among the data sets referred to in the input file **e129**, data **L3** and data **L4** that are not designated either by the bank-specifying instructions nor the bank control
15 instruction, are assigned to the banks. The reference marks **e134** and **e135** indicate examples of the memory banks after the data sets that are not specified either by the bank-specifying instructions nor the bank control instruction have been assigned to the banks.

Assigning in the above manner to the banks all of the data sets **L1** through **L6** that are referred to in the input file **e129** results in the memory banks **e134** and **e135**.

20 Next, an information processing method for performing bank assignment in which bank-specifying instructions are used, as shown in FIG. 41, will be described. FIG. 42 is a flow chart illustrating process steps in bank control in which bank-specifying instructions specify to which banks given data sets should be assigned.

In Step **ST2000**, a bank-specifying instruction, a bank control instruction, or a
25 memory reference instruction that is performed by the arithmetic processing unit 12 is read.

In Step **ST2001**, it is determined whether the read instruction is a bank-specifying instruction.

If it has been determined in Step **ST2001** that the read instruction is a bank-specifying instruction, then in Step **ST2002** necessary information for bank assignment
5 performed according to the bank-specifying instruction (which will be hereinafter referred to as “bank-specifying instruction information”) is obtained for the bank-specifying instruction.

If it has not been determined in Step **ST2001** that the read instruction is a bank-specifying instruction, then in Step **ST2003** it is determined whether the read instruction is
10 a bank control instruction.

If it has been determined in Step **ST2003** that the read instruction is a bank control instruction, then in Step **ST2004** a bank control instruction information set is obtained for the bank control instruction. In Step **ST2004**, the method shown in FIG. 29 or 35 is used.

If it has not been determined in Step **ST2003** that the read instruction is a bank
15 control instruction, then in Step **ST2005** a bank control information set is obtained for the read instruction. In Step **ST2005**, the method shown in FIG. 7 or 13 is used.

In Step **ST2006**, it is determined whether bank-specifying instruction information sets, bank control instruction information sets, and bank control information sets have been obtained for all the bank-specifying instructions, all the bank control instructions, and all
20 the memory reference instructions.

If it has not been determined in Step **ST2006** that all of the information sets have been obtained, the process returns to Step **ST2000** to repeat the operations of Step **ST2000** through Step **ST2006**.

If it has been determined in Step **ST2006** that all of the information sets have been
25 obtained, then in Step **ST2007** the data sets designated by the bank-specifying instructions

are assigned to the banks.

In Step **ST2008**, the data sets designated by the bank control instructions are assigned to the banks. In Step **ST2008**, the method shown in FIG. 32 or 38 is used in accordance with the bank control instruction information obtained in Step **ST2004**.

5 In Step **ST2009**, bank control is performed for, among the data sets referred to by the memory reference instructions, data sets that are not designated by the bank-specifying instructions nor the bank control instructions. In step **ST2009**, one of the methods shown in FIGS. 10, 16, 20, and 24 is used in accordance with the bank control information obtained in Step **ST2005**.

10 Now, referring to FIG. 51, the bank-specifying instruction information obtained in the seventh embodiment will be described. Each time a bank-specifying instruction is read, specified data is registered in the bank-specifying instruction information set shown in FIG. 51. The bank-specifying instruction information set retains information on data sets specified to be assigned to given banks.

15 Next, operation for obtaining the bank-specifying instruction information set shown in FIG. 51 will be discussed referring to an example shown FIG. 43.

The reference mark **e129** indicates an example of an input program in which memory reference instructions, a bank control instruction, and bank-specifying instructions are written. The reference mark **e137** indicates a bank-specifying instruction information set obtained in accordance with bank-specifying instructions **e129-12** and **e129-13**. The bank-specifying instruction **e129-12** specifies that data **L5** is assigned to a memory bank **MB1**, whereas the bank-specifying instruction **e129-13** specifies that data **L6** is assigned to a memory bank **MB2**. Thus, in memory address information in the bank-specifying instruction information set **e137**, the address **_L5** of a memory in which the data **L5** is stored and the address **_L6** of a memory in which the data **L6** is stored, are registered as

memory address information on data assigned to the memory bank **MB1** and as memory address information on data assigned to the memory bank **MB2**, respectively.

Subsequently, the operation for obtaining the bank-specifying instruction information set, shown in FIG. 43, will be described more specifically with reference to FIG. 44. FIG. 44 is a flow chart illustrating the operation for obtaining the bank-specifying instruction information set shown in FIG. 51. The flow chart corresponds to the operation of Step **ST2002** in FIG. 42.

Step **ST2100** is to obtain information on the address of a memory in which a data set specified to be assigned to a given bank is stored.

In Step **ST2101**, the memory address information obtained in Step **ST2100** is registered in the bank-specifying instruction information set.

Next, referring to FIG. 45, a bank assignment operation in which bank-specifying instructions specify to which banks given data sets should be assigned, will be described as a bank control method in the seventh embodiment.

The reference mark **e137** indicates a bank-specifying instruction information set. The reference marks **e139** and **e140** indicate memory banks in which data sets are stored, and show the results of assigning to the banks the data sets that are specified to be assigned to given banks by bank-specifying instructions.

Next, referring to FIG. 46, the bank assignment operation shown in FIG. 45 will be described more specifically. FIG. 46 is a flow chart illustrating the bank assignment method in which bank-specifying instructions specify to which banks given data sets should be assigned. The flow chart corresponds to the operation of Step **ST2007** in FIG. 42.

In Step **ST2200**, a bank-specifying instruction information set is read.

In Step **ST2201**, a determination is made as to whether it is possible to assign to

specified banks the data sets indicated by all of the memory addresses registered in memory address information in the bank-specifying instruction information set.

If it has been determined in Step **ST2201** that the assignment of all the data sets is possible, then in Step **ST2202** the data sets indicated by all of the memory addresses
5 registered in the memory address information in the bank-specifying instruction information set, are assigned to their respective specified banks.

If it has not been determined in Step **ST2201** that the assignment of all the data sets is possible, then in Step **ST2203** error handling is performed.

As described above, in the seventh embodiment, data sets that the user specifies to
10 assign to given banks are allowed to be assigned preferentially to the specified banks.

As described above, information on data sets that are referred to simultaneously by memory reference instructions is obtained, and those data sets referred to simultaneously are assigned to different banks, which allows bank assignment to be performed automatically without causing memory bank conflict. Further, bank control instructions
15 and bank-specifying instructions enable bank assignment to be performed just as intended by the user.